The WORLD'S FINEST SURPLUS BARGAINS..

CATALOG FS-59

AIRPORT MARKER BEACON 75MC TRANSMITTER RECEIVER



CDE-52326 NAVY MODEL MARKER BEACON TRANSMITTER PORTABLE UNIT THAT OPERATES FROM 115 VOLT 60 CYC WHICH TRANSMITTS A KEYED OR A CONTINUOUSLY MODULATED SIGNAL VERTICALLY IN A BALLON-SHAPED PATTERN ON 75 MC. USED AT AIRPORT LANDING FIELDS RUNWAYS IN CONJUNCTION WITH MARKER BEACON RECEIVERS THAT ARE INSTALLED IN THE PLANE THUS ENABLING THE PILOT TO KNOW WHEN HE IS OVER THE RUNWAY. (IN CONJUNCTION WITH HIS OTHER INSTRUMENTS.) WATTAGE OUTPUT(1) ONE WATT, MASTER OSCILLATOR & MODULATED CW, 400 CPS, 1300 CPS, 3000 CPS. TUBE LINEUP 4/6V6, 2/6SN7, 1/6SR7, 1/65, 2/VR150-30 & 1/5Y3. COMPLETE WITH TUBES & DIPOLE ANTENNA & OPERATING MANUAL. SIZE: 17½ x 10 x 11. WT: 35 LBS.

PRICE UNUSED $29.95

BC-1033 MARKER BEACON RECEIVER 75 MC. USED TO RECEIVE SIGNALS FROM ABOVE TRANSMITTER. WHEN SIGNAL IS RECEIVED IT OPERATES A RELAY IN THE RECEIVER WHICH IN TURN CAN BE USED TO OPERATE SIGNALS, LIGHTS, MOTORS, TURN ON EQUIPMENT ETC. VOLTAGE REQUIRED 24 VOLTS DC. COMPLETE WITH TUBES 1/12SN7, 1/6SH7 & 1/6SL7. SIZE: 3x5½x5½ WT: 3 LBS.

PRICE: USED $4.95

SIGNAL LAMP SE-11

PORTABLE UNIT FOR SENDING MESSAGES IN WHITE OR RED FLASHES OF LIGHT IN CODE. 2000 YARDS SUNLIGHT, 5 MILE AT NIGHT. USES 5 REGULAR FLASHLIGHT BATTERIES. SPRING ACTION TRIGGER FOR QUICK ACTION SIGNALING, 15 FOOT CABLE FOR CONNECTING KEY. TRIPOD ADJUSTABL 15-39". CANVAS CARRING CASE FOR ENTIRE ASSY. COMPLETE WITH CASE, PISTOL GRIP LIGHT ASSY, GUNSTOCK, GOGGLES, KEY, FILTERS, BULBS ADJUSTABLE TRIPOD & BOOK

WT: 8 LBS. PRICE: $4.95

T-4 FRC 400 WATT TRANSMITTER



AIRPORT TRAFFIC CONTROL TRANSMITTER 400 WATT C W & PHONE FREQUENCY COVERAGE 2 TO 18 M.C. BY USE OF PLUG IN COILS AND CRYSTALS, ALSO MASTER OSCILLATOR. UNIT IS HOUSED IN A CABINET 12"x24"x61" AND SLIDES OUT FOR EASY SERVICING. THE 220 VAC POWER SUPPLY WITH THE UNIT SUPPLIES THE NECESSARY VOLTAGES FOR ALL THE TUBES EXCEPT THE TWO 810's WHICH REQUIRE 1600 VDC @ 900 MA AND FILAMENTS. ALSO THE MODULATOR IS NOT INCLUDED IN SET COMPLETE WITH TUBES 2/810, 4/807, 3/6V6G, 2/866 & 2/5Y3GT. LESS AC POWER SUPPLY & MODULATOR AS DESCIBED ABOVE WHICH ARE NOT AVAILABLE. ALL CONTROLS ARE ON FRONT PANEL WITH LOCKING NUTS. HINGED DOOR COVERS PANEL.

SIZE: 12"x24"x61". WT: 330 LBS.

PRICE: USED LESS COILS $79.50
NEW LESS COILS 99.50
NEW WITH COILS 150.00

COMPUTER CONTROL

CP-949/APA-44A WITH AUTOSYN DIFF. CONNECTED TO A GEAR TRAIN DIAL, 4 WAY SW. 9 DECK CERAMIC SW. 4 POS. 6 GRAIN OF WHEAT LAMPS SIZE: 6 x 7½ x 5. WT: 7

PRICE: UNUSED $3.95

NOW AVAILABLE

BC-603 $14.95 RE-NEW

BC-683 $24.95 RE-NEW

BC-659 $16.95 RE-NEW

PE-120 $7.95 RE-NEW

SEE PAGE 3 FOR DETAILS

PULSE ANALYZER & SCOPE APA-11



IP-148/APA-11A PULSE ANALYZER & OSCILLOSCOPE (LATER MODEL THAN ID-59/APA-11) RADAR PULSE ANALYZER WITH REPETITION FREQUENCY OF 200 TO 6000 C.P.S. WITH EITHER A NEGATIVE OR POSITIVE PULSED SIGNAL. CALIBRATED DIALS FOR PULSE RATE & WIDTH ALSO CONTROL FOR PULSE DELAY, (½ & 166 MICROSECONDS). CAN ALSO BE USED AS A CATHODE RAY OSCILLOSCOPE. USED WITH RECEIVING EQUIPMENT APR-1, APR-4 AND SIMILAR SETS. COMPLETE WITH 1/3JP2 CATHODE RAY TUBE 3", 6/12AT7, 2/6AG7, 2/6AG5, 2/2X2 & 1/5R4. VOLTAGE REQUIRED 115 VOLT 400 CYCLE & 24 VDC. SIZE: 10 X 8 X 22. WT: 35 LBS.

PRICE USED $19.95

RANGE COMPUTER



CP-103/APA-44A RANGE COMPUTER

PART OF A AIRCRAFT COMPUTER LANDING SYSTEM. BEAUTIFUL PIECE OF EUIPMENT WITH A FINE GEAR TRAIN & DIAL ASSY, 2 MOTORS, 2 AUTOSYNS, 2 MICROPOT, SLIP RINGS, RELAYS, RECTIFIER, PRECESION RE RESISTORS, 12 GRAIN OF WHEAT LIGHTS, 4 FOLD BACK SPIN TYPE KNOBS, APPROX. 25 SWITCHES OF ALL TYPES, WILL MAKE A FINE CABINET FOR A TRANSMITTER OR RECEIVER. SIZE: 7½x12½x8. WT: 22 LBS.

PRICE: UNUSED $8.95

Fair Radio Sales Co.
132 SOUTH MAIN STREET P. O. BOX 1105
Lima, Ohio

RETURN AND FORWARDING POSTAGE GUARANTEED

Bulk Rate
U. S. POSTAGE
PAID
Lima, Ohio
Permit No. 74

Fair Radio Sales

VOLTMETERS

0-150 AC	Round flush type for 2-1/8" hole, Bakelite case. Westinghouse type NA-33, 25 to 125 cycles. Signal Corps No. 3F8150-69	6.25
0-300 AC	3" round flush type, bakelite case, Simpson and General Electric Mfg. Signal Corps No. 3F8300-28	7.50
0-15 AC-DC	Voltmeter 2½" RD. Unused No.IS-122	2.95
0-30 DC	Round flush type, for 2¼" hole. General Electric Mfg. Model 85W53AA1. Stock No. 2DA7	5.75
0-300 DC	Round flush type, bakelite case, shielded, for 2¼" hole. Sun Mfg. Model 2AU346. Stock No. 159E-12	5.75
0-5 DC	Kilovolts 7"RD. Unused We No.8303L1	12.95

MILLIAMMETERS

0-3 DC	Full scale 8 MA. 2½" RD." No.IS-171	2.95
50-0-50 DC	3" round flush type, bakelite case. Sangamo and Weston model 301. Signal Corps No. 3F3327	6.25
0-500 DC	Milliamp."2½"RD Unused No.IS-22	2.95
0-100 DC	3" round flush type, bakelite case. De-Jur model 310. Signal Corps No. 3F910-1	6.95
0-800 DC	3" round flush type, bakelite case, calib. for 1/8" steel panel. Signal Corps No. 3F980-2	6.95

R.F. METERS

0-3 RF	Ammeter 2½" RD. New Boxed No.IS-128	2.95
0-8 RF	AMMETER 2½" RD. Unused No.IS-89	2.95
0-10 AMPS	2-3/4" flange, for 2¼" hole, bakelite case. Weston model 507, Signal Corps No. 3F1010-24	5.95
0-1 AMPS	3" round flush type, bakelite case, Triplett model 0341-T or Weston model 425. Signal Corps No. 3F1001-31	6.25
0-100 MA	For 2-1/8" hole, metal case. Calib. for 1/16" steel panel, with Thermo-couple. General Electric model AAN21, type DW-52. Signal Corps No. 3F912	5.50

AMMETERS

30-0-30	DC Ammeter 7" Fan " West No.271	12.95
0-15 DC	Ammeter 4½" Fan Hoyt in metal case with test leads No.515	3.95
0-30 DC	3" round surface mounting. Roller-Smith type TDS. Signal Corps No. 3F1030-9	6.95
0-30 DC	2" round flush type, metal case. Hoyt Meter Co. No. H17-3, scale has marking for 12 volt and 6 volt. Signal Corps No. 3F1030-22	5.50
0-1.5 DC	Miliamp.Tube checker scale 2½" flush mtg.P/O I-56A W.No.685-2	2.95
0-75 AC	Ammeter less shunt 3½"RDN No.331JP	3.95

DECIBEL METER

Decibel Meter, Rectifier type O DB 6 Volt AC, 10-0-6. 3" round flush type, bakelite case. Westinghouse type NC-35, style IN-37854-1, U.S.N. type CAY-22285. Stock No. 2DA17 7.95



FREQUENCY METER

Designed to measure Pulse or CW frequency in the 3CM or 9 CM band. Uses a tuneable line coupled by a inductive loop across a crystal circuit. Indication is on a 3" 0-200 DC Microampere meter. W/cables & instruc. UNUSED $14.95

CWI-60ABJ
OUTPUT METER
RADAR TEST UNIT

used to check pulse rate & RF output on 3" 0-50 Microampere DC Meter using a 2 tube electronic circuit. Output for R.F. & Pulse.Operates from 115 volt AC or DC. in portable case & cables also instruction book.

Price Unused $12.95

PULSE ANALYZER INDICATOR

ID-228/APA-64

CONTAINS TWO 200 MICROAMMETERS, 2½" METERS FOR PULSE RATE & FREQ. INDICATION WITH 0-500 & 0-100 SCALE. MULTIPLIER SWITCH FOR 1 x 2 x & 10 x THE TIMES OF THE SCALE. OTHER METER W/ 0-5 & 0-20 SCALE FOR PULSE WIDTH & MULTIPLIERS 1 x & 4 x, ALSO ON & OFF AND RESET SWITCH. SIZE 6x4½x3½ WT.4LBS

PRICE USED $6.95
NEW 9.95

132 SOUTH MAIN STREET
P. O. BOX 1105 LIMA, OHIO
Telephone: CA 6-6716

STORE HOURS
MONDAY 9 AM to 9 PM
TUESDAY THRU SATURDAY
9 AM. TO 5:30 PM.

TERMS

PRICES NET, F.O.B. LIMA, O. SEND CASH, CHECK or MONEY ORDER with PURCHASE ORDER

MINIMUM ORDER $3.00. Orders less than $3.00 ADD $.50 HANDLING CHARGE.

Include sufficient money for for shipping charges. (UNUSED PAYMENTS RETURNED AT ONCE.) Otherwise we will send shipping charges collect.

C.O.D ORDERS, SEND 25% of PURCHASE with ORDER. BALANCE will be COLLECTED UPON DELIVERY.

When writing for information PLEASE state what specfic information you desire.

LOOK in RADIO & TV NEWS & CQ MAGAZINES FOR OUR ADS SHOWING NEW ITEMS MONTHLY.

F.C.C. RULES

The Federal Communication Commission has regulations regarding the use of all Communication & Electrical Radiating Equipment.

Following is a list of services you may be interested in and for information regarding these services write SUPERINTENDENT of DOCUMENTS U.S.GOVERMENT PRINTING OFF. WASHINGTON 25, D.C.

CITIZENS RADIO SERVICE
Catalog#CC-1.7-19 .10 cents.

PUBLIC SAFTEY RADIO SERVICE
Catalog#CC-1.7-10 15 cents.

DOMESTIC RADIO SERVICE
Catalog#CC-1.7-11 15 cents.

INDUSTRIAL RADIO SERVICE
Catalog #CC-1.7-11 20 cents.

AMATUER RADIO SERVICE
Catalog#CC-1.7-12 15 cents.

Be sure to give all information and send payment.

SURPLUS CONVERSION MANUALS

A MUST for beginers and a help to the old HAM. BUY THEM NOW.



CONVERSION MANUAL #1 ....$2.50
CONVERSION MANUAL #2 .... 2.50
COMMAND SETS CONVERSION... 1.50
ANTHOLOGY CONVERSIONS #1 ..2.00

ARRL BOOKS

RADIO AMATEUR'S HANDBOOK...$3.50
MOBILE MANUAL.....2.50
ANTENNA BOOK.....2.00
SINGLE SIDEBAND BOOK.....1.50
HINTS & KINKS.....1.00
RADIO FUNDAMENTAL COURSE....1.00

TECHNICAL MANUALS $3.00 each.

BC-1000	BC-1306	BC-223
BC-603	BC-604	BC-312
SCR-183	BC-229	BC-230
SCR-508	SCR-528	PE-125HK
AN/APS-4	MARK 11	BC-191

SCHEMATICS..$1.00 Each.

BC-1000	BC-312	BC-348	PE-237
BC-1306	BC-683	BC-375	PE-117
BC-1335	ARB	BC-191	PE-120

Also Command series, RAX, BC-779

AN/APS-3 RADAR SET 3 CM



AIRBORNE RADAR EQUIPMENT 3 CM Consisting of AS-18 Antenna, RT-10 Transmitter Converter, 2/ID-19 Indicators, R-18 Rec-Ampl. PP-12 Rectifier, C-17 Control, MD-5 Modulator, C-20 Azimuth Calibrator, MX-10 Dummy Indicator & Visors. Operates from 115 Volt 800 to 2600 cycle & 24 volts DC. Cables on indicators & converter. No connecting plugs, No manual. Shipping WT. 300 lbs. Complete with tubes.

Price Used $125.00 UNUSED $150.00

BC-221 FREQUENCY METER



Frequency 125 to 20,000 KC. Crystal Calibration in all ranges. Can be used as a signal generator and VFO. Complete with original crystal & calibration book. Voltage required 6 VDC @ .9 amp & 135 VDC 20 MA.

Price Used less Modulation $79.50.
" " with " 89.50

TS-175 Frequency Meter same as BC-221 only it covers the range of 85 to 1000 MC. With modulation
Price Used Excellent condition $129.50

TS-35 X BAND
SIGNAL GENERATOR
FREQUENCY METER
FOR RADAR



GENERAL PURPOSE INSTRUMENT USED FOR TESTING RADAR SET IN THE OPERATING RANGE OF 8500 TO 9500 MC APPROX 3 TO 3.5 CM. PRODUCES R.F. SIGNAL CW OR PULSED AS WELL AS MEASURING SAME TYPE SIGNALS RECEIVED FROM OTHER SOURCES. OPERATES FROM 115 VOLT 50 TO 1200 CYCLE. SIZE: 13 x 9 x 9: WT: 35 LBS.

PRICE: USED $29.50 UNUSED $39.50

VISUAL FLASH-LIGHT EQUIPMENT



Flash visible up to 3 miles in daylight. Used by the ARMY for indentifing troop movements & signaling location when lost. Operates from 6/12 VDC or 12/24. Ideal for Boats, Planes, Auto's, Boat Landings, Mountain Cottages, Etc. for the use intened or can be used as a PHOTO-FLASH UNIT operating from storage batteries. Also can be converted to 115 volt 60 cycle for Home or Studio use. Consists of a high voltage converter, 2/ Electronic flash lamps, 2/vibrators, High voltage condenser, 20ft cable etc. Flash tube #1073A SY. Shipping Wt. 50 lbs. #AN/VVX-1
Price NEW $29.50 Used $19.50
With instruction book.

I-177 TUBE CHECKER

Portable dynamic mutual transductance type with 3" round meter that indicates if a tube is good bad or questionable as in normal operation also for the of gases shorts between elements & noise. Will check 4 to 7 pin large pin octal, loctal, smal pin 5 &,7 prong, acorn etc.
Price USED Checked $22.95

ADAPTER UNIT to enable you to check other type tubes not indicated above such as small 9 pin large 7 pin, transmitting tubes Etc.
Price Used checked $22.95

I-177 Checker & MX-949 Adapter purchased to-gether $45.00

BC-638 FREQUENCY METER

Frequency coverage 100 - 156 MC, crystal control on four preset channels, magic eye & variable tuning. Used with SCR-522, BC-639 and other sets. Operates from 115 volt 60 cycle, provisions for battery operation. 19" rack panel mounting, 7"high 9" deep. Also has modulation.

Price Used $ 16.95

FM TRANSMITTERS-RECIEVERS AM

BC-603 RECEIVER RE-NEW $14.95

Freq. Range 20-27.9 MC.10 preset push-button channels or Manual Tuning. Has sensitivity and volume control squelch on and off. 2 watts output to self contained speaker. Sensitivity 1 microvolt 2.65 KC IF 12 V. operation with DM-34 Dynamotor, 24 V. operation with DM-36 Dynamotor, battery drain @ 12 V. 4 Amp. 10 Tubes; 6AC7 RF Amplifier, 6AC7 Modulator, 6J5 RF Oscillator, 12SG7 IF Amplifier, 12SG7 IF Amplifier, 6AC7 Limiter, 6H6 Detector, 6V6 2nd AF Amplifier and IF Oscillator. Size: 11⅛"H X 6 3/4"W X 12⅛"D. Wt. 30 lbs.

BC-683 RECEIVER

Same as BC-603 Frequency range 27 to 39.1 Mc.

RE-NEW $24.95 USED $19.95

AC Power Supply for BC-603 or BC-683, plugs into same place as dynamotor. NO CONVERSION TO SET.Transformer & tube type, no selenium rectifiers.set is not hot.
KIT of PARTS $10.00 COMPLETELY WIRED $14.95
FT-346 SINGLE RECEIVER MOUNTING.....$4.95

Dynamotor for BC-683 or BC-603 12 volt input, output 220VDC 80Ma.

DM-34 Dynamotor Used $2.95 RE-New $4.95

BC-604 TRANSMITTER USED$4.95

Freq. Range 20-27.9 MC Output approx. 30 Watt. 10 crystal controlled channels. Freq. 54 time crystal frequency. 12 Volt DC operation with DM-35 Dynamotor. 24 Volt DC operation with DM-37 Dynamotor. Battery drain 20 A. on 12 Volt. Tube lineup; 1619 1st Audio Amplifier, 1619 2nd Audio Amplifier, 1619 Oscillator, 1619 Doubler, 1619 Tripler, 1619 1st RF Amplifier, 1619 RF Rectifier, 1624 Power Amplifier. Size: 18"L X 11½"H X 10 3/8"D. Wt. 60 lbs. less dynamotor. RE-NEW 7.95

BC-684 TRANSMITTER

Same as BC-604; Frequency range 27 to 39.1 Mc.

Price used $ 7.95

DM-35 Dynamotor 12 volt for BC-604,684
USED: $6.95 RE-NEW $9.95

BC-924 TRANSMITTER

New $ 12.95 Used 8.95



Freq. Range 27-39.1 MC. 12 Volt DC operation. Voltage regulated M.O. Circuit. Slug tuned coils Hi and Low Output Switch. 30 Watt output on Hi position. Contains Interphone Amplifier. Schematic enclosed in cabinet. Tube lineup: 6SJ7 Oscillator, 6J5 Modulator, 6SJ7 Buffer, 6AG7 Amplifier, 815 Doubler, 815 Final, 6SL7 1st Audio, 6V6 2nd Audio. VR150 Voltage Regulator. Voltage required 12 or 24 VDC and 400 VDC @ 400 MA. Size: 18"L X 11½"H X 10 3/8"D. Wt. 52 lbs.

FT-237 MOUNTING BASE

RE-NEW $7.95

Shock Mount base to hold one BC-924 Transmitter and one or two BC-923 Receiver or, one BC-604 Transmitter or one or two BC-603 Receiver. Sockets on the base will make all of the necessary connections to the sets. Terminal block mounted on the base for remote control cable. Wt. 44 lbs. Size: 11 3/4"W X 1 3/4"H X 33 5/8"L.

BC-659 RECEIVER-TRANSMITTER RE-NEW $16.95

FM TRANSMITTER & RECEIVER
27 to 38.9 Mc.



BC 659 Receiver-Transmitter crystal control on any two pre-selected channels, 80 channels.Uses FT-243 crystal 13 tubes, namely 1LH4,1LC6, 4/1LN5,2/1291,4/1299&1/1291. Complete with tubes,speaker, meter & two crystals. Range approx. 5 miles. Size 15" x 13½" x 6¾".

AN-29 TELESCOPING ANTENNA FOR BC-659 $2.95

BA-41 DRY CELL BIAS BATTERY FOR BC-659 & BC-620 $4.95

PE-120 POWER SUPPLY FOR BC-659 SEE BELOW

BC-620 RECEIVER TRANSMITTER NOT AVAILABLE

F M Receiver - Transmitter 20 to 27.9 Mc.
Same as BC-659,above,only no speaker.
Size 6½x13½x20, WT.26 lbs.
AN-45 Telescoping Antenna for BC-620.....$1.95

PE-120 POWER SUPPLY Re-New: $ 7.95 Used: $ 4.95

Vibrator Type for use with BC-620 or BC-659,fastens to bottom of set,same as PE-117 shown above. Operates from 6,12 or 24VD Supplied with 12 volt vibrator only.Size 4½x13½x15½.WT 30lbs.

FT-250 Shock-Mounting Base for holding BC-620, BC-659,PE-120 or PE-117, singly or stacked. Size 4½ x 11½ x 20,WT. 11½ lbs.
Used $2.95 RE-NEW $4.95

BC-1335 RECEIVER TRANSMITTER



RECEIVER - TRANSMITTER
F M 27 to 38.9 Mc.

BC-1335 Receiver-Transmitter 18 tubes with 6 or 12 VDC vibrator power supply. Crystal control on any two preset channels of which there are 80. FT-243 crystals are used.An electric eye tube is used for tuning of the set for the particular channel. Tube lineup for rec-trans., 7/1L4,2/1R5,5/3A5,1A3, 2/3Q4 & 6AF6G. Set size 13⅜"x12½"x6½". Wt.24 lbs.

NOT AVAILABLE

AN-131 WHIP ANTENNA THROW OUT TYPE 12 FT. $1.50

Link FM Receiver 30 to 40 Mc. New $29.95

Link Model F M R11UF: Crystal control on single channel 30 - 40 Mc.Ten tubes,2/6H6,2/6AC7, 1/6V6,2/6SJ7,1/6K6,1/6C8,2/6K8. No power supply,requires 6 volts for filaments & 220 to 250 VDC 80Ma. for plates.Squlech control, phone jack,output plug etc.on panel. Size13x7½x8½. Wt. 20 lbs. Complete with tubes & schematic.



AN/ARN-7 ADF COMPASS RECEIVER USED FOR AIRCRAFT DIRECTION FINDING CAN ALSO BE USED FOR BOATS,CONSISTS OF A 15 TUBE RECEIVER COVERING THE FREQ. OF 150 TO 1750 KC IN FOUR BANDS. OPERATING VOLTAGES REQUIRED 115 VOLT 400 CYC & 24 VDC.COMPLETE WITH TUBES 4/6K7,1/6L7,1/6J5,2/6B 8,2/6F6,1/6N7,1/6SC7,2/2051 & 1/5Z4. SIZE:12x8x19.WT:45LB.

R-5 /ARN-7 REC. USED $19.95
R-5A/ARN-7 " " 24.95
C-4 /ARN-7 CONTROL " 4.95
" " " BOX NEW 9.95
I-82A 5" INDICATOR USED2.95



LP-21 LM LOOP USED $18.95

AM-913/TRC U.H.F. CONVERTER



WESTERN ELECTRIC F.M. U.H.F. CONVERTER 100 - 225 MC. PLUG IN TYPE UNIT WITH RESULTANT FREQUENCY OF 30 MC. TUNEABLE DIAL,A.F.C. - OR - CONTROL. USES 1/6J4 & 1/5670 TUBES. VOLTAGE REQUIRED 150 VOLTS DC & 6.3 VOLTS.SHIELDED IN CAST ALUMINUM. SIZE 7½ x 6½ x 9½. WT: 9 LBS.

PRICE: NEW $34.95

BC-652 RECEIVER

BC-652 RECEIVER AM 2 to 6Mc.,two bands,large illumiated dial, AVC,MVC,AVC and volume controls,output jack for phone or speaker on front panel.Eleven tubes, Receiver section 1/12SG7,2/12K8,2/12SK7,1/12C8,1/12SR7,1/6Y6G, Calibrator section 1/6K8, 1/12SR7,. Voltage Required 12 VDC & 172 VDC 138Ma.
Size 7½ x 14 x 12, Wt. Price Used $ 19.95
Plug for rear of Receiver 1.50
DM-40 Dynamotor 12Volt, Used 4.195 New 2.95
2/6SC7. 2/6SC& $1.95

BC-653 TRANSMITTER

BC-653 TRANSMITTER 2 to 4.5 Mc. 50 watt voice 100 watt CW, range 25 to 50 miles depending on conditions. Master oscillator control, four preset channels. Seven tubes2/814,1/807, 2/1613,2/VR-105. Two 2½" meters for reading Filament & Plate voltages & current and output meter.
Voltage required: 12VDC, 1000VDC 220Ma.,500VDC VDC 185Ma. Size 26 x 12 x 14. Wt 140lbs.
A real good buy . Price $19.95 Used

DM-42 Dynamotor 12 volt, used $4.95

FT-253 MOUNTING BASE

FT-253 Mounting to hold Rec. & Trans. Used $3.95
Size 34 x 12 x 3 Wt. 30 lbs. Unused $5.95

BC-1306 RECEIVER TRANSMITTER

BC - 1306
RECEIVER-TRANSMITTER



This is a compact efficient two - way Radio-Telephone or Telegraph set that will provide communication up to 15 miles on voice & 30 miles on C W.

Frequency range 3800 to 6500 KC.crystal control or MO. A 200 KC. crystal is used to calibrate the REC & TRANS. on any two preset crystal controlled freq. by use of the MO,CRYSTAL A & CRYSTAL B switch.

Eleven (11) tubes 1/VR-105,2/1L4,2/1R5,1/1S5, 2/2E22,2/3A4,1/3Q4,
Size 10 x 15 x 6 Wt. 19,Price Used $ 29.95

CD-1086 Cable Rec/Trans to PE-237 Price $4.95

PE-237 POWER SUPPLY for BC-1306,6,12 or 24VDC operation. Supplies all neccessary voltages to operate set also low voltage for standby.
Size 19 x 10 x 9. Wt. 75 lbs.
Price .....USED $ 14.95

BC-654 RECEIVER-TRANSMITTER AM 3800 - 5800 KC. Output 17 watts.Crystal calibrator continous tuning on rec. & trans, voltage required 6 or 12 VDC & 500 VDC 160 MA. Phone & CW operation. Complete with 12 tubes Used $34.95
PE-103 DYNAMOTOR for 6 or 12 VDC USED $19.95
PE-104 VIBRATOR for REC only 6/12 Used $9.95
CD-501 CORD F/connecting DYN.to SET 2.75

T-14/TRC-1 TRANSMITTER FM 70 - 100 MC Crystal control single channel.Operates from 115 Volt 60 cycle. 40 Watt ouput, 2½" meter for tuning and reading voltages of different stages. Complete with 11 tubes and AC Blower.
Price Used.....$49.50

R-19/TRC-1 RECEIVER FM 70 - 100 MC. Crystal control signal channel,double conversion. Operates from 115 volt 60 cycle and has 2½" meter.for making adjustments and reading voltages of different stages. Complete with 16 tubes and blower.
PRICE: USED $39.50

SCR 274-N ARC-5

COMMAND RECEIVERS—TRANSMITTERS

The COMMAND SET series of transmitters and receivers are the most popular surplus items on the market to-day.

The series consist of several units covering the frequency range of 190 KC to 9.1 MC for the receivers and 2.1 to9.1 MC for the transmitters.

For those of you who are not familar with this equipment and would like to know more about it we suggest that you purchase COMMAND SETS MANUAL for $1.50. This book has 135 pages of conversion information including power supplies, schematics etc.

RECEIVERS

The receivers are six tube superhets using the following tubes,1/12A6, 2/12K8Y,3/12SK7 & 1/12SR7. Designed to operate from 24 VDC dynamotor, which mounted on the rear of the set, suppling 250 VDC 60 MA.
Size of set 5 x 5 x 11 WT. 6 lbs.



		USED	NEW
BC-453/R-23	190 to 550 KC	$14.95	
BC-946/R-24	520 to 1500 KC		
/R-25	1.5 to 3.0 MC		
BC-454/R-26	3.0 to 6.0 MC		
BC-455/R-27	6.0 to 9.1 MC		$14.95
R-28	100 to 156 MC		

TRANSMITTERS

The transmitters with proper use can put out 50 watts on CW and watts on voice, with the use of the BC-456 modulator which is a separate unit. Dynamotor used with equipment is a DM-33 24 VDC input output 575 VDC 175 MA & mounts on the modulator. Tubes used 2/1625,1/1626 & 1/1629 magic eye tube for crystal calibration
Size 5 x 7 x 12 WT.9 Lbs



		Used	New
T-18	2.1 to 3.0 MC	$ 5.95	$ 8.95
BC-696/T-19	3.0 to 4.0 MC	4.95	———
BC-457/T-20	4.0 to 5.3 MC	4.95	———
BC-458/T-21	5.3 to 7.0 MC	4.95	———
BC-459/T-22	7.0 to 9.1 MC	----	———
T-23	100 to 156 MC	14.95	———



BC-456 MODULATOR & dynamotor mounting. used with command transmitters. Tube lineup 1/1625,1/12J5GT& 1/VR-150 Size 7x8 x10 WT.9½ lbs.
Navy Type Unused $4.95
MD-7ARC-5 Used 8.95

ACCESSORIES

BC-451 Transmitter Control box	$1.00
FT-220 Three Receiver mounting	2.00
Connector plugs f/ comm. equip. ea.	1.50
DM-32/12 volt dynamotor f/rec.New	4.95
DM-32/24 volt dynamotor f/rec. "	4.95
DM-33/24 volt dynamotor f/trans. "	3.95
Spin tuning knob for receivers.	1.00
MC-211 right angle drive f/rec.	1.00
MC-215 Remote tuning shaft "	2.00
FT-225 Modulator mounting	1.50
Schematics for Rec. Trans. Mod. ea.	1.00

NOTE

R-28 RECEIVER & T-23 TRANSMITTER are four channel fixed freq.NOT continous tuning.

ALL BAND RECEIVER

190 To 9050 KC

AIRCRAFT WEATHER BROADCAST
MARINE FOREIGN MOBILE
AMATEUR — 40 - 75 - 80 & 160 METERS

NAVY ARB/CRV 46151 — 190 to 9050 KC - Four Band, 6 Tube Superhet - Local & remote tuning and band change; illuminated dial, sharp & broad tuning; AVC, CW, provisions for operation of DU-1 Loop. Complete with Tubes: 1/12SA7, 1/12A6, 4/12SK7, & 24 Volt Dynamotor. Size: 8 x 7 x 16" - Used: $ 18.95

ABOVE - Converted to 12 Volt, with Dynamotor (No electric band change)..... $ 24.95

Conversion for 115 V 60 cycle with Spin Dial, Phone Jack, CW, Volume Control, On & Off Switch (All on front panel) - KIT of Parts with Instructions.... $ 10.00

Conversion - as Above - for 12 Volt DC — KIT of Parts, with Dynamotor..... $ 10.00

ARB RECEIVER converted to 110 volt 60 cycle or 12 volt DC with all controls on front panel. No electric band change.

Specify 110 volt 60 cycle or 12 Volts DC _____ $38.95

Remote control box	$2.00
Remote tuning head	$2.00
Remote tuning shaft	$1.50
Local control tuning knob	$1.00
T-Shaft adapter for remote & & local tuning.	$1.50
Connector Plugs each	$1.00



DU-1 LOOP ANTENNA
For use with ARB for direction finding in Aircraft & Marine bands. All tuning controls on unit.Obtains voltage from set.
Used $14.95
Connector plug $1.00

SEE PAGE 2 FOR ORDERING INSTRUCTIONS

MINIMUM ORDER $3.00

AC BEACON RANGE RECEIVER



BC1206-C BEACON RECEIVER

BC-1206 AIRCRAFT BEACON RECEIVER covering frequency 200 to 400 KC. Operates from 24 volts DC for filaments & plates. 135 KC. IF. Five tubes 2/14H7,1/14J7,1/14R7 & 128D7.
Size 4 x 4 x 6½,WT. 4 lbs.
Price Unused complete with tubes $9.95 Less tubes $4.95
Price used " " " 5.95 " " 2.95

BC-1206 AIRCRAFT BEACON RECEIVER same as above mounted in Gray Hammertone Cabinet shown above, with power supply for 110 volt 60 cycle operation with 4" PM speaker,

Price with new receiver $27.95 Used receiver $22.95

Dynamotor to operate receiver from 12 VDC suppling the 24 VDC 2 amps. Size2½x4x7, Wt. 9 lbs. W/instruction $4.95

R-4/ARR-2 RECEIVER



UHF receiver covering the frequency 234 to 258 MC tuneable & 540 to 830 & 740 to 1030 KC. fixed freq. Tubes used 3/6AK5,7/9001 & 1/12A6. Voltage required 250 VDC 60 MA & 24 VDC. Size 5 x 5 x 11 WT 6 lbs. Mounting same as 6omm Sets. Used $5.95 New $8.95



T-23/ARC-5 TRANSMITTER 100-156 MC Tubes 2/1625 2/832

R-28/ARC-5 RECEIVER 100-156 MC Tubes 3/12SH7 4/717 2/12SL7 1/12A6



TRANSMITTERS - RECEIVERS

BC-230/430

BC-229/429



BC-230/430 TRANSMITTER

Transmitter approx. 10 watts Voice and 20 watts CW in the freq range of 2500 to 7700 KC by use of plug in coils.Uses tubes 2/10Y, 2/45. Output meter 2" 0 to 1.5 RF. MO control on front panel. Voltage required approx 300 VDC for plates & 12VDC for BC-230 & 24 VDC for BC-430. Size 13"x8"x 7". WT. 10½ lbs.

Price with tubes, plug in coils & schematic, Unused $8.95

BC-229/429 RECEIVER

Receiver TRF ,uses plug in coils to cover the freq. range of 201 to 398 & 2500 to 7700 KC. Six tubes 1/37,1/38,4/39. Voltage required 220 VDC to 275 VDC 80 MA. & 12 VDC for BC-229 & 24VDC for BC-429. Size 16 x 8 x 7. WT 12 lbs.
Price with tubes,,plug in coils & shematic, Unused $6.95

BD-83 Dynamotor 12 VDC to operate Rec & Trans. Unused $6.95

ADDITIONAL EQUIPMENT

Control Box BC-231 F/ receiver or BC-232 F/ trans. each	$1.00
Connector plugs for rec, trans., dynamotor or boxes, "	$1.00
Schematic showing rec, trans, boxes etc.	$1.00
Tuning knob for Receiver local control	$1.00
Remote tuning head for receiver	$2.00
Remote tuning shaft for receiver, specify length	$1.50
Separate coils for receiver, specify freq. coverage 2500-4000, 4000-7700, 201-398.	$1.75
Separate coils for transmitter, specify freq coverage. 2500-3200, 3200-4000,4000-5000,5000-6200,6200-7700.	$1.75
Mountings for Rec., Trans, Dyn., Each mounting	$1.50

BC-375 TRANSMITTER BC-191

TRANSMITTER AM 100 Watt CW - MCW - Voice, Frequency coverage 200 -500 KC & 1500 - 12,500 KC. by use of plug in tuning units listed below. Tube line up 1/10Y & 4/VT-4C (211). Complete with tubes,less tuning units. Requires 12VDC for BC-191 & 24 VDC for BC-375 filaments & relay. 1000 VDC 350 MA. plates. Meters 2" for reading 0-8 RF,0-500 MA,40-15 DC. With schematics.



BC-191/12 volt Used 24.95 New $34.95 BC-375/24 volt Used $29.95

TUNING UNITS for BC-191 & BC-375

			Used	New
TU-5	1.5 to 3	MC	$3.95	$5.95
TU-6	3 to 4.5	MC		
TU-7	4.5 to 6.2	MC	2.95	
TU-8	6.2 to 7.7	MC	2.95	4.95
TU-9	7.7 to 10	MC	2.95	
TU-10	10 to 12.5	MC	2.95	
TU-26	200 to 500	KC	4.95	

Price of tuning units less case. With case $.50 additional.

BC-306 Antenna Tuner

DYNAMOTORS: HD-77/12V f/BC-191 Used $9.95: PE-73/24V NEW $12.95
PLUGS for transmitter or dynamotor ;each plug $1.00
Cables with PL-61,PL-64 or PL-59 ea end. Each cable $2.75

RA-34 POWER SUPPLY for BC-191 115/230 volt 60 cycle input output supplies all the voltages for operation. Used $59.50

NOVICE T-121 TRANSMITTER

Crystal Control — 3.5 to 4 MC, 50 Watts MO - PA for CW. With Automatic Keyer Motor and Code Wheels. 2/1625 & 1/25LG Tubes. Complete with instruction book & Conversion. No. T-121..... New: $ 5.95



RAX-1 RECEIVER

Four Band Receiver with large 4½" dial AVC,CW & Volume Controls also phone plug all on front panel. Tube line-up 4/12SK7,1/12K8,1/12SR7 & 1/12A6. Voltage required 24 VDC & 200 VDC 80 MA. Size 16x7½x7½ WT. 15 lbs. No top covers Used condition.

	RANGE	IF FREQ.	
RAX-UNIT #1	Covers FREQ. 200 to 1500 KC	160	$18.95
" #2	Covers FREQ.1500 to 9000 KC	915	18.95
" #3	Covers FREQ.7000 to 27000 KC.	2.275	Not Avail

Transmitters

100-156 MC. RECEIVER-TRANSMITTER

SCR-522

SCR-522 RECEIVER-TRANSMITTER AM, 4 channel crystal control 30 watt output, 18 tubes: Trans: 1/6SS7, 3/12A6, 1/6G6, 2/832; Rec: 1/9002 1/9003, 3/12A6, 2/12AH7, 1/12C6, 1/12H6 & 3/12SG7. Complete with tubes, schematic and conversion information for 2 meters.
USED $29.95

Rec. Chassis Only Less Shifters	Trans. Chassis Only Less Shifters
with tubes $14.95	with tubes $18.95
less tubes 7.95	less tubes 7.95

BC-602 Control Box-USED $1.95
AN-104 Antenna NEW 1.95
JB-29 Junction box $2.95

DYNAMOTORS

PE-98 DYN. 12 volt Used $12.95 New $19.95
PE-98 Dyn. 24 " " 4.95 New 9.95

CABLES

Battery to dynamotor PL-Q-172 plug $2.75
Junction Box JB-115 with cable & plugs PL-Q-169, PL-Q-171, PL-Q-199 60" long NEW 4.95
PLUGS only any of those rquired each plug $1.00
RA-62 AC Power Supply 115/230 F/SCR-522 UNUSED $59.50

LOCALIZER RECEIVER

108.3 TO 110.3 MC

Receive Radio Signals being transmitted by the U. S. Satellite — on approx. 108 MC. This Receiver is AM and Crystal Control on Six preset frequencies in the 108.3 to 110.3 MC range. Provides audio and band pass filter output of 90 and 150 cycles for aircraft instrument landing for which it was originally used. Complete with Ten Tubes: 1/12AH7, 2/12SG7, 2/12SR7, 1/12SQ7, 3/717, 1/12A6, Crystals and Schematic. Voltage required: 12 or 24 VDC & 220 VDC 80 MA. Size: 13-3/8" x 5" x 7". Also can be converted to FM Receiver 80 to 108 MC.

USED $4.95 UNUSED $7.95 BC-732 Control Box....$ 2.00
I-101 Crosspoint Indicators, Cracked Glass.. $ 1.50
PLUGS f/Receiver (2), Control Box (1), or Indicator (1) ..... Each Plug: $ 1.00
DM-53 - 24 Volt Dynamotor - Used..... $ 2.95
DM-53AZ - 12 Volt Dynamotor - Used..... $ 6.95
AS-27 RAMS HORN ANTENNA Used $2.95 NEW $4.95

LORAN R-65/APN-9 RECEIVER & INDICATOR

The LORAN system as used in both ships & AIRCRAFT. Provides accurate means of determining position by the reception of radio signals from stations of known location. The system operates entirely by radio and does not depend on celestial obersvations there provides a fix when all other method of navigation are rendered useless. Requires 24 VDC & 80-115 volt 800 cycle.
Used less tubes & Magnifying lens ..$29.50
Used with tubes & Magnifying lens $69.50

RT-18/ARC-1 RECEIVER - TRANSMITTER



Aircraft Radio Receiver & Transmitter; 100 to 156 MC. AM on 10 preset crystal controlled channels, 30 watt CW & phone operation. Uses 29 tubes, 18/6AK5, 2/6C4, 2/6V6, 2/6J6, 2/12A6, 2/832 & 1/12SL7. Voltage required 24VDC & 360 VDC 135 MA. Complet with DY-9 24 volt dynamotor 7 tubes. Size 21½x10½x7½ WT. 40 lbs. Price Used..$59.50



RA - 10 RECEIVER

BENDIX RECEIVER for Marine & Aircraft use. AVC,MVC & CW control. Crystal phasing four band operation. Seven tubes 3/6SK7,1/6K7,1/6C5 & 1/6K6 & 1/6K8. Select frequency coverage you desire. Separate MR-9 control box for remote use or control box can be mounted to side on on front panel of set. Voltage required 12 Or 24 VDC & 220 VDC 100 MA. Complete with dynamotor,tubes,control box,tuning shaft & plugs
RA-10 DA/DB 150 to100 KC & 2 to 10 MC, 24 V dyn. Used $29.95
RA-10 FA/FB 150 to 400 KC & 2 to 10 MC.,24 V DYN. Used 22.95

Plug in oscillator unit as used in BC-610 Transmitter. Can be used for a transmitter foundation unit to make a 25-40 watt trans. contains 2/100 mmfd variable condensers & 1/140 mmfd.Also cryatal holder,coils, knobs switches etc. TU-49 Tuning Unit 3.2 to 4 MC.
USED $1.95 NEW $2.95

25-40 WATT TRANSMITTER UNIT

Receivers



BC-966 RECEIVER-TRANSMITTER

160 to 211 MC.

IFF set used in Aircraft for Foe or Friend indentification. Has 13 tubes 3/6H6,3/7193,7/6SH7, 18 volt dynamotor with gear train & blower also voltage regulator,relays, resistors, condensers etc. ~~No Schematics~~ WT. 40 lbs.
Price unused $4.95

RT-1/APN-2 RECEIVER-TRANSMITTER

Radar inentification set used in Aircraft in conjunction with Radar equipment in planes and on land. Can be set on three preset frequencies in the 150 to 220 MC. range for rec. & sending pulse signals.Has 17 tubes 1/6SN7,1/6V6 1/955,3/956,1/2C26,1/2X2,1/5U4G, 6/6AC7,1/6H6,1/6SL7 also 24 volt blower,coaxial connectors,resistors, condensers and 400cycle 115 volt power supply.No schematics. Size 12 x 13 x9 WT. 40 lbs.
Price $7.95 Unused



COMPASS & COMMUNICATION RECEIVER

MN-26 LB COVERS THE FREQUENCY RANGE 200-410 KC,550-1200 KC & 2.9-6.0 MC. USED IN AIRCRAFT AS A DIRECTION FINDER BUT CAN BE USED IN BOATS OR MAKE A GOOD HOME RECEIVER. OPERATES FROM 24 VDC. COMPLETE WITH DYNAMOTOR & TUBES,5/6K7,2/6N7,1/6L7,2/6B8 & 1/6F6 SIZE:12x6½x16½,WT: 40 LBS.
PRICE: USED $12.95

BC-312 RECEIVER



This is a real rugged receiver as it was used by the ARMY in Tanks & Trucks. It is six band super and covers the freq. range of 1.5 to 18 MC.,has CW-Osc,crystal phasing,audio gain cotrols etc.Large dial with speed & vernier tuning.Nine tubes 2/6C5,4/6K7,1/6F6,1/6L7,1/6R7. IF Freq. 470 KC.Also phone & mic jacks. Voltage required 12VDC & 230VDC 90 MA.

Size 18 x 9½ x 9" WT. 56 LBS.
Price Used $59.50
RA-20 AC Power Supply U. $12.95
DM-21/12 volt DYN. Used 5.95

FT-162 MOUNTING.....$2.50
Control Cable & Plug 2.75

BC-348 RECEIVER

Aircraft Receiver used with BC-375, ART-13 Transmitters etc.Frequenct range 200 to 500 KC. & 1.5 to 18 MC. in 6 bands. AVC,MVC,CW, Crystal phasing, Antenna Align, Beat Osc. & Audio Gain,Controls. Speed & vernier tuning & output Jacks. Eight tubes,types vary with letter of issue. Voltage required 24 volt & 220 VDC 70 MA.
Size 18 x 10½ x 9½. WT. 38 lbs.
Price W/24 V. Dyn. USED....$89.50
" Converted to AC 89.50

FT-154 Mounting..Used.....$2.50
PL-103 Plug....."..... 1.50
DM-24 Dynamotor 12 volt U 4.95



BC-745
"POGO - STICK"
TRANSMITTER-RECEIVER
Freq. 2 to 6 MC.
Range about 5 miles depending on conditions.

AM Receiver & Transmitter 6x6x6" mounted on a 32" staff that is used to stick into the ground & also houses the 94" telescoping antenna when not in use.Crystal control rec & trans. by use of plug in tuning units #BC-746. Uses tubes 1/1S5,3/1T4,5/3S4. Voltage required 1.5/.5 amp,67.5 20 MA & 105-125 V/50 MA. T-39 Chest Unit has a microphone & space for installing the dry batteries. Units have a connecting cord.Complete with tubes, crystal unit,chest set &headset.
Price USED $19.95



BC-222 TRANSCEIVER

28 to 52 MC

Super-Regentive Battery operated Portable Set Uses tubes 1/33 1/30 in a super regenerative circuit. Range approx. 2 miles depending on conditions. Batteries required 3 VDC,4½ VDC & 144 VDC.
Price used..$14.95
AN-29 Telescoping Antenna $2.95
TS-11 Handset w/plug 4.95
Battery Adapter Box 1.95

BC-357 MARKER BEACON RECEIVER

Receives modulated signals in the 62-80 MC range which then operates relay thatcan be used to control electrical circuits.Tubes 12C8 &12SQ7. Voltage required 24 VDC.
Price Used...$3.95

RADAR TRANSMITTER

143 to 194 MC.



Transmitter used for checking Radar receivers.Uses one 3A5 tube mounted on top of a 58" telescoping antenna with 14" dipoles. Transmitter is housed in plastic case 4½ x 1½ "Antenna is mounted to aluminum case for holding 2/BA-30/1½ V Batt & 1/BA-38 103½ V Batt.
Price Unused $1.95

RADIOSONDE TRANSMITTER

Crystal control unit using 1/3A4 tube.Has 3 VDC motor,relay, pressure unit,.battery compartment & parachute. Used to drop from aircraft. Freq.approx 403 MC. Stock #7A8325-3 Price $6.95

COAXIAL ATTENUATOR



Impedance Matching cable 52 ohm 20"long with 2/PL-259 Plugs sliding adjustment 3" long feed-thru connectors for coax ea. end
Stock#2Z396-7 Price $1.95

CO-AX CABLE ASSEMBLY

CD-1071 CORD w/PL-259 each end,Coax cable 50 ohm 2 ft.$ .50
CD-1259 COAXIAL CORD RG-11U 32" lg.W/ 2-UG-21 Connector .50

The following coaxial connector are removed from new equipment.

PL-259 M-359 SO-239
25¢ EACH 5 FOR $1.00

CABLES & CORD SETS

CD-501 Cord f/BC-654	$2.75
TCS Cable Receiver to P.S	2.75
TCS Cable Trans. to P.S.	2.75
BC-375/191 PL-64 ea. end.	2.75
BC-375/191 PL-61 ea. end.	2.75
BC-375/191 PL-59 ea. end.	2.75
SCR-183 Cable PL-63 ea.end.	2.75
" " " PL-65 ea. "	2.75
" " " PL-62 ea. "	2.75
CD-1086 Cable F/BC-1306	4.95
CD-509 Cord F/BC-659-620	2.75
Battery Cable 2/#12 9½FT.	.75
Batt. Cable 1/#8 Shielded 8'	.75

FLEXIBLE TUNING SHAFTS

MC-215 For Small Spline $1.50
MC-124 For Large Spline 1.50
Specify length we will ship closeiest length in stock

MC-203 "T" ADAPTER for large splined shafts.
Price.. $1.00
MC-211 RIGHT ANGLE small splineshaft
Price..$.50

RG-8/U COAXIAL CABLE



RG-8/U Coaxial Cable 52 OHM 1-500 FT.$.07½ 500-1000 Ft.$.07
RG-59/U Coaxial Cable 73 OHM. 1-500 FT.$.07 500-1000 FT. $.06

VARIABLE FREQUENCY ADAPTER UNIT

Designed to convert a fixed crystal control transmitter to a variable freq.control in the 1.5 to 3.5 MC. range The adapter plug is inserted in the oscillator tube socket.VR-105 tube is used inside the unit. Has 250 mmf variable condenser,ceramic coil,dial ,switch etc.
Price less tube.....$5.95

Headsets — Telephone Equipment — Microphones — Handsets

HS-30 Headset

H-16/U Headset
New $2.95
Used $1.95

HS-33 HEADSET

LOW IMPENDANCE

NEW $7.95

USED $4.95

H-63/U HEADSET & BOOM MICROPHONE
Consists of two series 300 Ohm receiver & a 100 Ohm carbon microphone mounted on a adjustable boom. Two 14" cords terminate in 2 & 3 pin jacks. Used Checked $3.95

HS - 30 HEADSET, magnetic, 250 ohms. hearing aid type, rubber ear pieces fit inside the ear. lightweight headband & cord 9" long with spade lugs.
(see below for extension cords)

Price New $ 1.50 Used $.75

H-16/U Headset 8000 ohms. Rubber inserts similar to headset HS-30,with ear cups to exclude noise.Cord 11" terminating into PL-54 short phone plug.
(CD-307 extension cord used with this item)

Price New $2.95 Used $1.95

CD-307 CORD: extension for CD-604, 65" long, JK-26 on one end to receive PL-54. Other end standard PL-55 phone plug.

Price New $.79 Used $ .50

CD- 605 CORD same as CD-604 Only with PL-55 Plug instead of PL-54 and this cord is 30" long.

Price New $.75 Used $.50

CD- 604 Cord with transformer for attaching HS-30 headset and matching output to 4000 ohm line.Cord 6" long with a PL-54 Plug on the other end. (Pl-54 is a short 2 circuit PL-55 Phone plug.

Price New $.50 Used $.25

T-30
Throat Microphone
New $.75
Used .50

T-45
LIP Microphone
New $1.50
Used 1.00

Extension Cord
20 foot with PL-291 female plug one end,no plug other end. Use W/ T-45-T-30

New $.75 Used $.50



Elements only $1.00 a dozen

T-45 Lip Microphone 100 ohm, carbon, 50DB below one milivolt per bar across 200 cycle per sec. substantially flat freq.response,undirectuonal.With PL-291 two contact male plug on 11" cord.

Price New $1.50 Used $1.00

T-30 Throat Microphone same as T-45 only 75 ohms.

Price New $ .75 Used $ .50

CD-318 CORD: Extension for T-45 & T-30 microphones.With PL-291 female 2 contact plug,SW-141 switch & PL-68 Mic jack on 7 foot cord. Price New & .89 Used $.50

PL-55 PHONE PLUG on 4 FT. CORD PRICE NEW $.55
PL-68 MICROPHONE PLUG on 4FT. CORD. PRICE NEW $.65

EE-8 FIELD TELEPHONE

EE-8 FIELD TELEPHONE: Can be used for private telephone system in home, factory, farm, garage etc. Operates from two flashlight batteries up to 17 miles. Uses two conductor wire for two or more phones. Magneto ringer for calling. With carring case & straps.
Used checked $12.95 Two for $25.00
New units used cases $16.95 2 for $33.00

BD-71 Switchboard

Portable 6 line hand ringing magneto type using flashlight batteries for operation. Repeating coils on two lines to permit simplexing, TG circuits. Can be used with any magneto type telephone such as EE-8, RM-29, EE-91 BD-89. Case size 18x12½x14 WT.60 lbs. Ideal for factory, camp, farm, Complete with Headset & Chest Microphone.
Used $14.95 NEW $24.95



BD - 72 SWITCHBOARD Same as BD-71 except has 12 lines
Used $24.95

BD-89 SWITCHBOARD

Manually operated,combined magneto & battery,non-multiple, 20 magneto lines,40 CB lines,4 two way manual or dial drop end trunk CKT. 5 conference jacks, 3 outgoing line ckt.,2 thru line & 13 universal cord ckt. one position,two panels.size 52"x22"x31"

Price New $150.00 Recond. $100



RM-52 MACY'S PHONE PATCH UNIT

CONTROL UNIT RM-53 — Used to operate radio equipment and provide remote control and intercom. of such equipment by use of the RM-52 Unit listed below. Up to 1/2 mile. Used 2 flashlight batt. Internal transformer has High-Low impedance Sw. and Sidetone. Also Mic. & Phone Jack & PL-55 & PL-68 Plugs. Used: $ 2.95 — New: $ 4.95

REMOTE CONTROL RM-52 — Can be used with RM-53 or used as a separate telephone system. Uses 4 flashlight batt. Also can be used as a direct remote control for radio equipment. Provides bias for Mic. & Sidetone to headset. High or Low imp., Mic. & Phone Jacks. Can be used also as a Phone Patch Unit. Used: $ 1.95 New: $ 2.95

TS-13 HANDSET for RM-53 or RM-52..... Used: $ 3.95

RM-29

REMOTE CONTROL UNIT
Used for control of radio & telephone equipment from a single position. Two or more units make a private telephone system. Operates from flashlight & dry battery.Hand ringer for call.Good up to 15 mi
RM-29 only New $6.95
RM-29 With Handset 8.95

RADIO & TELEPHONE REMOTE CONTROL EQUIPMENT

RM-12 Control unit for transmitter & receiver also has EE-8 Field Telephone ringer unit. Decible meter 3" for use with transmitter. Requires wires between each unit for operation
Price Used $14.95 New $19.95

RM-13 Control Unit, same as RM-12 except that the radio control portion operates from 115 V 60 cycle and has a 24VDC 1 Amp supply and AC power supply for one stage of audio amp.
Price Used $19.95 New $24.95

TELEPHONE BOX EE-91, Wall type can be used with any hand ringer magneto type telephon Contains four horseshoe magnets, bell etc. EE-91 Box only $4.95 with handset $6.95

H-22/U HANDSET with retractable Y cord,PL-68 Mic.& PL-55 Phone Plugs. Butterfly switch. New $3.95
TS-13 Handset with Y cord PL-68 Mic. & PL-55 Phone plugs. Used $2.95 Unused $3.95 W/butterfly switch
TS-9 Handset No Plugs with butterfly switch & lugs. Used $2.95 New $3.95
Handset Hanger rubber covered as illustraded. $1.50 each 3/$4.00



T-26 MICROPHONE F-1 Carbon w/ switch,chest straps & 8 FT. cable.

Used $1.00 New $1.75

T-17 MICROPHONE Carbon hand type with push switch

Used $3.95
New 6.95

CARBON MICROPHONE
CM-1-SC

Mobile type 85 Ohms DC Response: 200-4000C.P.S. Bypasses for R.F. DPST push to talk switch normally open.
4 ft. cord no plug $6.95
with PL-68 plug 9.95

COILED CORD SET

Three (3) conductor coiled cords, retractable for mics, handsets,headsets etc.
22" stretches to 6 FT. $.80 4 for $3.00
44" " to 12 " 1.50 3 for 4.00
With PL-68 mic plug $.50 extra each cord.

TELEPHONE WIRE

Two conductor for outdoor use # W-110B
.01½ per FT.2500FT $19.95
WT-1A 3 conductor outdoor 135 ft lenght only $1.00
W-130B Plastic or rubber covered combat wire.
.01½ per FT. 2500FT. $19.95

RC-298 INTERPHONE KIT
$7.95

Consist of H-22 handset in waterproof box.35 FT. 7 cond. rubber cable,10ft, flexible conduit,3 waterproof switches, 2 bulls eye lights,large roll tape, jacks,terminals etc. Wt. 60 lbs.

COMPACT FIELD TELEPHONE UNIT

Lightweight unit (only 7 lbs) in aluminum case & small handset.Hand ringer for bell & call light. Uses flashlight cells for operation up to 15 miles.Control unit# C-433,Handset#H-33
Price Each $9.95 Two Units $18.95

EE-64

TEST SET Shown Cover Removed

J-45 TELEGRAPH KEY

MOUNTED ON METAL STRAP THAT CLAMPS ABOVE THE KNEE ALSO HAS CONNECTING CORD W/PL-55 PHONE PLUG.WT:2 LB
PRICE $1.50

EE-64 LINESMENS TEST SET:Used for checking telephone lines.Has hand crank type magneto ringing generator,adjustable mic, & one phone unit.Uses dry cell batt.for operation. Two units make a telephone communication system.
Price used each $4.95 2/units $9.00

Control Boxes Filters Indicators Tuning Units Amplifiers



MOBILE CONTROL BOX

CONTROL BOX FOR MOBILE EQUIPMENT with 20-0-20 DC amp meter 2", on and off switch, mic & phone jack, pilot light, 10 foot of battery cable, 6 foot of control cable terminating into a amphenol male octal connector. Control box size 4½" x 5"x 3" (Shown on left) NEW $5.95

CABLE & MOUNTING PLATE ONLY with on-off switch pilot light, mic jack & 6 foot of 8 conductor cable.(Shown on right) New $2.50

REMOTE CONTROL UNIT FOR BC-669

RM-21 CONTROL BOX with handset hanger, volume control, 3 momentary switches, 10 contact connector and plug for handset.

NEW $ 3.95

CONTROL UNIT C-87/ART-13

TRANSMITTER CONTROL BOX WITH 11 channel switch, off voice CW-MCW switch, indicator light, mic jack & code signal key.

NEW $2.95

DUAL RADIO SET CONTROL BOX

BC-658 C SWITCH BOX for controlling two radio sets. Has two sets of cords with PL-68 & PL-55 Plugs 48" long. Water proof, phone & mic jacks and 5PDT Switch.

NEW $1.95

MI-22A BC-213 BC-1366 BC-345

MI-22A Station control box for transmitters.consist of 5 pos. band switch, VC control,two SW lights & jacks.....$1.00

BC-213 JACK Box with four pos. one momentary band SWITCH,VOL one control mic & phone jack.

BC-1366 Same as above except has five pos. switch.

BC-345 SWITCHBOX with three position switch,range,voice & both. Also mic & phone jacks.

Any of the above boxes..$.75ea.

Beam Filter

RANGE BEAM FILTER 1020 CYCL ACCEPTANCE OR REJECTION.
FL-8 AAF TYPE USED $1.95
NAVY TYPE WITH PL-55 $1.95
" " LESS " " 1.50



TL-150 TUNNING WAND
FOR BC-659,BC-620 $.75

SIDE BAND Loading Coil C-114 - $1.95



PHONE PATCH TRANSFORMER C-161 - $1.95

COUNTER DIAL

VERNIER COUNTER DIAL 10 to 1 ratio outer dial calibrated 0 to 100, inside dial 0 to 10. Size: 3" x 3½" x 3". Price: NEW $1.95

WOBULATOR MAGNET

A electro-mechanical sweep generator capacitor as used in precision instruments for freq. shifting. Contains two inch Alnico Magnet. Removed from APN-1 Altimeters $1.95

M-3727 AERIAL TRANSFER UNIT with three push type terminals for connecting antenna to Receiver,transmitter & swtiching from one to the other manually. Price $.75

NATIONAL DIAL

Type N Precision 4" Dial with 0-100 scale left to right.Planetary vernier drive & decimal scale.Drive fits ¼" shaft. National 4" Dial $2.75

ANTENNA MATCHER

Variable inductance tuner for matching transmitter load to antenna 100 watt capacity,also calorated verveir lock dial or meter. Size 7½x3½. Re-f/equip. INDUCTANCE TUNER ONLY....$5.95
TUNER,IND.& DIAL " 7.95
TUNER, DIAL,METER,Panel 9.95



C-30/ARC-5 BC-451 BC-136/2

C-30/ARC-5 CONTROL BOX with 7 push button switches marked A,B, C,D,OFF,1&2.Also tone,CW & voice switch & connectors. Price....$2.95

BC-451 CONTROL BOX with switches tone-CW-voice,on-off,1/2/3/4 also code key,mic & phone jacks. used $.75 Price New $1.50

BC-136-2 Control unit with mic & phone jacks ,volume control & two binding post. $.35 each Four for $1.00



COMPASS BOX/Dummy Antenna Load BC-444A Radio Compass control box.3 position band 200-1750, 2" tuning meter,volume/compass/light controls,pilot/grain of wheat lamps.Tuning assy uses MC-124 flexible shaft . Used $1.95 New $2.95

BC-434A Same as above except no compass cont. Used $3.95
C-4/ARN-7 Same as above except range. Used $5.95 NEW $9.95

A-61-A ANTENNA LOADING UNIT with 0-4 RF meter 2",100 MMF 50 KV vacumn condenser,resistance load 5 ohms. 50 watts. Used $5.95



BC-1156 BC-1361

BC-1156 AZON CONTROL BOX used for remote control equiomemt. Has 4 position stick switch controling micro switches marked up/down/right/left also lever SW. advance/reset & on/off SW & volume control & phone jack. Size 5x5x3½ WT. 3 lbs. $2.50

BC-1361 SWITCHBOX with 4PST & SPST momentary switches,1"jewel light & two cable connectors. Size 4x3½x2 WT.2 lbs $1.00



SA-1/ARN-1 ID-14/APN-1 I-75-A

SA-1/ARN-1 Alititude Limit Switch. Switching unit with 15 resistors,3" scale calibrated 50 to 300 can be used for resistor decade box. $1.50

ID-14/APN-1 Radio Altitude meter 0-1 MA. movement,3" scale can be used as tuning meter or output. $1.50

I-75-A Indicator 5",0-360 calibration. Same as I-82 radio compass indicator except operates mechaincly instead of electricly.Has two splined male connectors. $1.50

I-82A Radio Compass as used in Aircraft for use with sets ARN-7, BC-433 etc. 5" indicator.& Autosyn motor. Used $2.95

MC-217 Autosyn transmitter as used with I-82 Indicator. Used $3.95

Both units can be operated from 12 volt 60 cycle to make remote position indicating system for antenna beams & other devices.
I-82A,MC-217 & 12 Volt transformer. $8.95

SPEAKER DRIVER UNIT UNIVERSITY # SA-30B, 25 W 15 OHM, RESPONSE 90 -9000 CYCLES. STANDARD 24 THREAD X 13/8 MOUNTING NIPPLE. SIZE: 5 x 4½: WT: 4 LBS. $8.95 EACH 2 FOR $17.00

50-60 WATT SPEAKER UNIT WESTERN ELECTRIC SPEAKER UNIT FOR BAFFLEBOARD OR HORN. IMPEDANCE 13 OHM RESPONSE TO 7000 CPS. BLAST & SHOCK PROOF. 5LB ALINCO MAGNET. THROAT OPENING 1 3/8" SIZE: 6x6x4½: WT: 14 LBS. PRICE: $8.95

SPEAKER

R-14 1000 ohm ear pc. in 3" case & PL-55 phone plug & cord. Mine Detector Resonator. Stock #2B2156 Price $1.00



OSCILLATOR ASSY.

Bread board type approx. 205 MC. with acorn socket for 955 tube, variable condenser & coil. W/Tube 955 Stock # 2C2453/P1 Price $1.00

TUNER ASSEMBLY from BC-923 RECEIver.Covers FM freq 27 to 38 MC. Contains ,ANTENNA,RF,OSC & IF coils slug tuned also necessary trimers, condensers,resistors etc Dial 1½ " & small 3/4" dial.& loc A good front end for a converter. Stock #2C4923A/T8 Price $1.95

TUNER ASSEMBLY for 2 to 6 MC. Part of BC-728 RECEIVER, which consists of four channel push button assy. with RF,ANT,& OSC. coils all slug tuned.Also cond. resistors etc.Size 4 x 4 x 3"11b Stock#2C4728/T4. Price $1.50

DETONATOR IMPACT SWITCH with two micro switches that make contact when the unit is jarred. Used in Planes to detonate bombs when wrecked.Size 5x4x4". WT.1½ lbs. Stock # BC-706 Price $.50

RIGHT & LEFT ANGLE DRIVE SHAFT 3/16" SIDE ¼ MALE & ¼ FEMALE. 2½x2½x1½ $1.50

VERNIER DIAL 2½" 100 TO 0 SCALE. TAKES ¼" SHAFT. PRICE: $1.50



MEISSNER SIGNAL SHIFTER PLUG-IN COIL-SET 4670 KC - 5515 KC.

Oscillator Plate, Grid & Doubler Coils. Four,Five & Six prong. Set of three coils. Stock#362500-56 Price $.75

BC-347 AIRCRAFT INTERPHONE AMPLIFIER

Used in small planes for speaking.Has two ouncer transformers Carbon mivrophone input & standard headset output. Requires 12 Or 24 volt & 250VDC.Uses 6F8G tube.Size3x2x5 WT 3lbs. With tube $1.95 Less tube $1.25

BC-216 MICROPHONE AMPLIFIER

Aircraft type amplifier use tubes 1/39/44 & 1/6F7.Two carbon microphone inputs.Voltage required 12 volts & 150VDC 40 Ma.Size 8½ x 6½ x 2. WT. 3 lbs With tubes $1.95Less tubes $1.



BC-605 INTERPHONE AMPLIFIER

Tank interphone unit operates from DM-34 12 volt dynamotor. Requires 12VDC & 220 VDC 80 MA. Uses 2/1619 tubes can be interchanged with 616G tubes 2.5 vol Has compartment for speaker. Size 7x11x12 Used $2.95

BC-367/BC-667 AMPLIFIER

Audio Amplifier using 2/6V6GT tubes. Microphone carbon type input, output tapped for high & low inpedance.Audio signaling device.Voltage rquired 12/24 250 VDC 50 Ma. Size 9 x 9 x 5 With tubes less dynamotor.
BC-367/12 volt less case $1.95
BC-667/24 " with case 2.95

BC-212 AMPLIFIER

Aircraft type amplifier two tubes type 6J5. Easily converted to home intercom set. Requires 12 volts for filaments or can be rewired to 6 volts. 115 volts DC for plates. Size 5 x 5 x 2 Wt. 2 lbs.
New $1.95

PERSONAL MUSIC BOX

Chrome Music box containg 5" speaker & cain timer motor. Timer motor operates from 24 V AC.Makes a real nice looking remote speaker anywhere.
With DYNAMIC SPEAKER $3.95
" PM " 4.95
Transformer to operate timer $1.95

TS-279 DUMMY ANTENNA LOAD

Three inch pyrex feed thru insulator,1000 ohm 100 watt resistor with two test lead & clips.Cabinet size 13 x 6 x 4". Can be used for a chassis.
Stock # TS-279

Price $2.50

MINIMUM ORDER $3.00

PORTABLE OUTDOOR EXTENSION OUTLET

25 FOOT SJT CABLE WITH 2-#16 WIRES THAT TERMINATE IN CAST ALUMINUM BOX WITH TWO WATER PROOF RECEPTACLES FOR STANDARD AC PLUGS. ALSO HAS 10" STAKE FOR PUSHING INTO GROUND.

PRICE $4.50



WILLARD PLASTIC STORAGE BATTERY 2 VOLT 28 AMP HOUR, NON-SPILLABLE, BALL INDICATOR TYPE, DRY CHARGE. JUST ADD ELECTROLYTE

NEW $2.50



RA-20 AC POWER SUPPLY

Power Supply used in BC-342 RECeiver. Converts BC-312 RECEIVER to 115/230 volt. Output 230VDC 90 MA & 12VAC 2 AMPS.
Size 3 x 5½ x 6 WT. 8 lbs.

PRICE: USED $12.95



RA-87 AC RECTIFIER

Selenium type rectifier use with teletype printers operates from 115/230 volts 50-60 cycle ouput 115 volts DC .400 amps & 110 volt 50 - 60 cycle. Size 14½ x 7½ x 8 WT. 43 lbs.

Used $9.95 NEW $12.95



RA-62 AC POWER SUPPLY

Power Supply used with SCR-522 Transmitter-Receiver supplies all the necessary voltages.
INPUT: 115/230 60 Cycle
OUTPUT: 300 VDC 230 MA.
-150 VDC 8 MA.
13 VDC 3.9 AMPS.
Completly fused & filtered.
Size 16 x 11¼ x 11 Wt. 75 lbs.

PRICE: UNUSED $59.50



MP-28 MODULATOR & DYNAMOTOR Power Supply for TA - 12 TRANSMITTER Class " B " Modulation Maximum signal output 75 watts.
Complete with 2/807, 1/6N6, 1/6N7 tubes. Dynamotor 24 VDC input output 540 VDC 450 MA. NEW With 24 V Dynamotor $19.95
CABLE & PLUG $2.75 PLUG ONLY $1



AC POWER SUPPLY
COMMAND RECEIVERS

This power supply operates from 115 volt 60 cycle and is designed to supply all of the proper voltages for the operation of 274N, ABC-5 & NAVY type receivers. IT has a 4" PM speaker, on-off, & CW switch also pilot light & volume control. NO CONVERSION IS NECESSARY to the set. Output voltages 24VAC 1 amp & 250 VDC 50 MA. May also be used for other type sets using the same voltages.
Size 6 x 6 x 5 WT. 8 lbs.
Stock number PS-274N $18.95

AC POWER SUPPLY
AIRCRAFT BEACON RECEIVER

This power supply was designed to supply the necessary operating voltage for the BC-1206 RECEIVER which is used to receive airport broadcast in the 200 to 400 KC. band and operates from 115 volt 60 cycle. The receiver is mounted to the left of the cabinet and 4" PM speaker to the right.
AC Power Supply & Cabinet $18.95
With RECEIVER 27.95

AC POWER SUPPLY
BC-603 BC-683

This unit opeates
This unit operates from 115 volts 60 cycle and was designed to be us plug into the same place where the dynamotor did on the BC-603-683 receivers. No conversion to set is necessary expect for the installation of the on-off switch in the spare fuse holder. Unit is transformer type with 5Y3GT rectifier tube. CHASSIS is NOT HOT. Dynamotor can be used by removeing AC supply.

KIT of PARTS $10.00 Wired $14.95



AC - DC
POWER SUPPLY

RECTIFIER TYPE power supply full wave supplies 24 volt DC 1½ amp. Can be used to operate small motors, relays, selenoids etc. from 115 volt 60 cycle. Mounts on board for easy construction. Kit consists of transformer, rectifier. line cord & cord with clips. With instructions
Kit price $6.95

NEA-3 AC & DC GENERATOR

OUTPUT: 115VAC 800 CYC. 10.5 Amp
28VDC 60 AMP. @ 2400 RPM
Spline shaft size: 7/8 x 1 3/4
Size: 6½ x 7½ x 13 WT. 44 lbs.
UNUSED $18.95

P1 GENERATOR

OUTPUT: 28.5 VDC 200 AMPS.
2500 to 4500 RPM.
Splined shaft size: 7/8 x 1 3/4
Size: 6 x 8 x 13½ WT. 44 lbs.
Used: $14.95

TANK GENERATOR

OUTPUT: 24 VDC 50 AMP.
1800 to 6000 RPM.
SPLINED SHAFT SIZE 3/4x1½.
Size 7 x 7 x 14 WT. 40 lbs.
USED $9.95



GENERATOR GAEN-211219C

OUTPUT: 12.5 VDC 4 AMPS.
240 VDC 100 MA.
INPUT DRIVE: 3/16 HP.
3450 RPM.
SHAFT SIZE: 3/8 x 1¼
MOTOR SIZE: 5 x 6 x 9 WT. 25 lbs.
Used: $4.95 New $6.95

INVERTERS

SIZE 19½ x 8 x 10½ WT. 80 lbs.

PU-7 INVERTER

INPUT: 28 VDC 160 AMPS.
OUTPUT: 115 VAC 21.6 "
1 Phase 400 CYCLE.
Used: 29.50 NEW $ 49.50

PE-218 INVERTER

INPUT: 24 VDC 80 AMPS.
OUTPUT: 115 VAC 13 AMPS.
1 Phase 400 CYCLE.
Used: $9.95 Unused $24.95
Size: 19 x 10 x 6 WT. 60 lbs.

PU-16 INVERTER

INPUT: 28 VDC 60 AMPS.
OUTPUT: 115 VAC 6.5 AMPS.
400 CYCLE 3 Phase
Used: $18.95
Size: 7 x 15 x 9 Wt. 38 lbs.

5D21NJ3A INVERTER

INPUT: 27 VDC 35 AMPS.
OUTPUT: 115 VAC 2.17 AMPS.
400 CYCLE 1 Phase.
Used: $14.95 Unused $24.95
Size: 9 x 6½ x 5½ WT. 20 lbs.

INVERTER
800-1-A

WT. 35 lbs.

Size 4½ x 8 x 12

INPUT: 24 VDC 75 AMPS.
OUTPUT: 115 VAC 800 CYCLE
1 Phase 10.5 AMPS.
USED: $9.95 NEW: 14.95



PE-237 POWER SUPPLY
VIBRATOR TYPE

INPUT: 6 VDC 27 AMPS.
12 VDC 13.2 "
24 VDC 7 "
OUTPUT: 525 VDC 90 MA.
105 VDC 42 MA.
6.5 VDC 2 AMPS.
6 VDC 500 MA.
1.3 VDC 450 MA.
130 VDC 17 MA.
With tubes & vibrator.
Size 10 x 10 x 17 Wt. 70 lbs.
USED $14.95 RE-NEW $19.95

PE-125 POWER SUPPLY
VIBRATOR TYPE

INPUT: 12 VDC 14.5 AMPS.
24 VDC 7.5 AMPS.
OUTPUT: 500 VDC 160 MA.
Size 12 x 9½ x 7½ WT. 46 lbs.
UNUSED $9.95



PE-120 Power Supply

INPUT: 6 VDC 4.5 AMP.
12 VDC 2.5 AMP.
24 VDC 1.5 AMP.
OUTPUT: 145 VDC 75 MA.
90 VDC 40 MA.
1.5 VDC .75 AMP.
Vibrator type voltage regulated complete with tubes OB-3/VR-105, 1005 & Ballast.
Also vibrator for 12 VDC.
Size 4½ x 13¼ x 15½ WT. 29lbs
Used $4.95 RE-NEW $7.95



CD-2042 POWER SUPPLY

INPUT: 12 VDC 4 AMPS
OUTPUT: 300 VDC 100 MA.
Self rectifying vibrator type.
NEW $7.95
Size 3 x 5½ x 6 WT. 5½ lbs.



PE-104
VIBRATOR
POWER SUPPLY
Used with BC-654
Rec-Trans. Output 84 VDC & 15VDC
Input 6 VDC OR 12 VDC. WT. 8 lbs
size 4x4x7 Price Used $9.95

Size: 5 x 8 x 12 Wt. 35 lbs.

PE-98 DYNAMOTOR

INPUT: 14 VDC 21 AMPS.
OUTPUT: 300 VDC 260 MA.
150 VDC 10 MA.
Used $12.95 New $ 19.95

PE-94 DYNAMOTOR

INPUT: 28 VDC 10.5 AMPS.
OUTPUT: 300 VDC 260 MA.
150 VDC 10 MA.
14.5 VDC 5 AMPS.
Used $4.95 Unused $7.95



MODULATOR POWER SUPPLY
COLLINS 21881

INPUT: 12 VDC 14.5 AMP.
OUTPUT: 400 VDC 200 MA.
225 VDC 100 MA.
Size: 7½ x 7 x 13 WT. 28 lbs.
Used: $12.95



Size 6½ x 8 x 12 Wt. 30 lbs.

DY-12 DYNAMOTOR

INPUT: 27 VDC 32 AMPS
OUTPUT: 400 VDC 750 MA.
750 VDC 350 MA.
Used $12.95



UNIVERSAL PM DYNAMOTOR
USA/0516

INPUT: 6 VDC 16 AMP.
OUTPUT: 12 VDC 2 AMP.
135 VDC 110 MA.
INPUT: 12 VDC 8 AMP.
OUTPUT: 24 VDC 2 AMP.
275 VDC 110 MA.
INPUT: 24 VDC 4 AMP.
OUTPUT: 275 VDC 110 MA.
WITH INSTRUCTIONS FOR WIF WIRING. SIZE: 2½ x 4 x 7
WT: 10 Lbs.
PRICE: UNUSED $6.95

GN-45 GENERATOR
HAND CRANK TYPE
Output
6VDC 3 Amp.
500 VDC
140 MA
@ 60 RPM.
Complete with crank, legs & seat
Used $5.95 New $9.95
Output cable & plug $2.75

Used with BC-654 SCR-284

Bendix Hand Crank Generator (Gibson Girl) Output 28 VDC @ 175 MA and 300 VDC @ 30 MA. When cranked at app. 60 RPM. Gear Ratio app. 72-1 with pilot light and coding wheel Wt. 6 lb. 3 oz. Price.....$4.95



DYNAMOTORS



Size 6½ x 10 x 11 WT. 38 Lbs.
With fuses and starting relay.

HD-77 DYNAMOTOR

INPUT: 14 VDC 39 AMPS.
OUTPUT: 1000 VDC 350 MA.
Used $9.95 Unused $14.95

PE-73 DYNAMOTOR

INPUT: 28 VDC 19 AMPS.
OUTPUT: 1000 VDC 350 MA.
Used $9.95 Unused $12.95

PE-59 DYNAMOTOR

INPUT: 14 VDC 28 AMPS.
OUTPUT: 500 VDC 500 MA.
USED $6.95 UNUSED $9.95



Size 7 x 7 x 11 WT. 38 lbs.

DM-42 DYNAMOTOR

INPUT: 12 VDC 39 AMPS.
OUTPUT: 925 VDC 220 MA.
460 VDC 185 MA.
Sidetone volts 7 tap 2 V.

USED $ 4.95 UNUSED $ 9.95



PE-103 DYNAMOTOR

Size x
Size 6 x 12 x 18 WT. 53 lbs.
With filters, starting relays and battery cable.
INPUT: 6 VDC 21 AMPS.
INPUT: 12 VDC 11 AMPS.
OUTPUT: 500VDC 160 MA.
USED $ 19.95

CD-501 CORD & PLUGS $ 2.75



Size 3½ x 3½ x 7 WT.8 LBS

G E 5DP-50VC2 DYNAMOTOR

INPUT: 5.6 VDC 50 MA.
OUTPUT: 640 VDC 265 MA.
G E Reconditioned $12.95

G E 5DP-50VC1 DYNAMOTOR

INPUT: 5.6 VDC 35 MA.
OUTPUT: 420 VDC 260 MA.
G E Reconditioned $ 9.95

CAR SHAVER MOTOR



Price $4.95
with instructions

Converted dynamotor that will permit you to use you ELECTRIC RAZOR in your car providing it has a 6 volt DC electrical system. It will also operate any DC appliance that requiers 115 VDC and not more than 15 watts. The motor is mounted where convient and the switch with the outlet plug is mounted under the dash.

Size 3 x 3½ x 4½, Wt. 3 lbs.

DM-32 DYNAMOTOR

INPUT: 28 VDC 1.1 AMPS.
OUTPUT: 250 VDC 60 MA.
Price: Used $2.95 New $4.95

TYPE 35 x 032
(Same as DM-32 only 12V)

INPUT: 14 VDC 2.4 AMPS.
OUTPUT: 250 VDC 60 MA.
Price: New $4.95

DM-53 AZ DYNAMOTOR

INPUT: 14 VDC 2.8 AMPS.
OUTPUT: 220 VDC 80 MA.
Price: Used $5.95

DM-53 DYNAMOTOR

INPUT: 28 VDC 1.4 AMPS.
OUTPUT: 220 VDC 80 MA.
Price: Used $3.95



Size 3 x 3 x 4½, Wt. 3 lbs.

DM-45 DYNAMOTOR

INPUT: 24 VDC 1.1 AMPS.
OUTPUT: 250 VDC 50 MA.
Price: Used $2.95 New $4.95

DM-25 DYNAMOTOR

INPUT: 12 VDC 2.2 AMPS.
OUTPUT: 250 VDC 50 MA.
Price: Used $2.95 New $4.95

WEST. 12B6534 DYNAMOTOR

INPUT: 24 VDC 1.75 AMPS.
OUTPUT: 300 VDC 70 MA.
Price: Used $2.95 New $4.95

Size 3 x 3 x 4½. Wt. 31lbs.
Dynamotors listed below same size only less base.

DM-6936 DYNAMOTOR

INPUT: 28 VDC 1.1 AMPS.
OUTPUT: 250 VDC 60 MA.
Used $1.95 Unused $3.95

DMX-310A DYNAMOTOR

INPUT: 12 VDC 2.8 AMPS.
OUTPUT: 150 VDC 100 MA.
Used $2.95 Unused $4.95

TYPE 5047 DYNAMOTOR

INPUT: 27 VDC 1.75 AMPS.
OUTPUT: 285 VDC 75 MA.
Used $3.95 Unused $5.95



Size 3 x 4½ x 6½. Wt.5 lbs.

DM-34 DYNAMOTOR

INPUT: 14 VDC 2.8 AMPS.
OUTPUT: 220 VDC 80 MA.
Used $2.95 Unused $4.95

DM-36 DYNAMOTOR

INPUT: 28 VDC 1.4 AMPS.
OUTPUT: 220 VDC 80 MA.
Used $2.95 Unused $4.95



Size 3¼ x 5 x 5½, Wt.3½ lbs.

PE-86 DYNAMOTOR

INPUT: 28 VDC 1.25 AMPS.
OUTPUT: 250 VDC 60 MA.
PRICE: Used $2.95 New $4.95



Size 3½ x 5 x 6½. Wt.5½ lbs.

DM-24 DYNAMOTOR

INPUT: 13.8 VDC 2.4 AMPS.
OUTPUT: 220 VDC 70 MA.
Price: Used $4.95 New $6.95

DM-28 DYNAMOTOR

INPUT: 27.9 VDC 1.25 AMPS.
OUTPUT: 220 VDC 70 MA.
Price: Used $2.95

Size 2½ x 3½ x 6½. Wt.5 lbs.

DM-64 DYNAMOTOR

INPUT: 14 VDC 5.1 AMPS.
OUTPUT: 275 VDC 150 MA.
Price: Used $4.95 New $6.95

Size 4 x 4½ x 7 Wt. 9½ lbs.

D-401 DYNAMOTOR

INPUT: 12 VDC 9.9 AMPS.
OUTPUT: 400 VDC 180 MA.
Price: Used $5.95 New $8.95



Size 4½ x 5½ x 6½. Wt.10½ lbs.

HD-83 DYNAMOTOR

INPUT: 14 VDC 6.5 AMPS.
OUTPUT: 375 VDC 150 MA.
Used $4.95 Unused $6.95

HD-69 DYNAMOTOR

INPUT: 14 VDC 2.8 AMPS.
OUTPUT: 220 VDC 80 MA.
Used $1.95 Unused $3.95

DM-416 DYNAMOTOR

INPUT: 28 VDC 3.1 AMPS.
OUTPUT: 330 VDC 170 MA.
Used $1.95 Unused $3.95

HD-93 DYNAMOTOR

INPUT: 28 VDC 3.2 AMPS.
OUTPUT: 375 VDC 150 MA.
Used $2.95 Unused $4.95



Size 4 x 7 x 6½ Wt. 10½ lbs.

PE-133 DYNAMOTOR

INPUT: 12 VDC 2.3 AMPS.
OUTPUT: 230 VDC 90 MA.
Used $4.95 Unused $6.95



Size 5½ x 6 x 8½. Wt.12½ lbs.

TYPE 377 DYNAMOTOR

INPUT: 14 VDC 8 AMPS.
OUTPUT: 425 VDC 163 MA.
Used $6.95 Unused $9.95

Size 5½ x 3½ x 7. Wt.7 lbs.

DM-40 DYNAMOTOR

INPUT: 14 VDC 3.4 AMPS.
OUTPUT: 172 VDC 138 MA.
Used $1.95 Unused $2.95

D-402 DYNAMOTOR

INPUT: 12 VDC 3.8 AMPS.
OUTPUT: 225 VDC 100 MA.
Price: Used $4.95 New $6.95

Size 3½ x 4 x 5½. Wt. 6 lbs.

Size 4½ x 4½ x 8½ Wt.13 lbs.

DM-35 DYNAMOTOR

INPUT: 12.5 VDC 18.7 AMPS.
OUTPUT: 625 VDC 225 MA.
USED:$6.95 RE-NEW $9.95

DM-37 DYNAMOTOR

INPUT: 25.5 VDC 9.2 AMPS.
OUTPUT: 625 VDC 225 MA.
Used $2.95 Unused $4.95

DA-12A DYNAMOTOR

INPUT: 12.5 VDC 29 Amps.
" 25 VDC 14.8 Amps.
OUTPUT: 540 VDC 450 MA.
Price: Used $12.95 New $14.95

DA1F DYNAMOTOR

INPUT: 25 VDC 14.8 AMPS.
OUTPUT: 540 VDC 450 MA.
Price: Used $3.95 New $5.95
Size 4½ x 4½ x 8½ Wt. 13 Lbs.

DA-14A Dynamotor
Same style as above
Input: 14 VDC 3.3 Amps.
" 28 VDC 1.6 "
Output: 230 VDC 100 Ma.
Used $4.95 Unused $6.95
Size 3½ x 3½ x 6 Wt. 4½ lbs.

Size 3½ x 3½ x 5½. Wt.5 lbs.

DA1A DYNAMOTOR

INPUT: 28 VDC 1.6 AMPS.
OUTPUT: 230 VDC 100 MA.
Price: Used $2.95 New $4.95



DM-33 DYNAMOTOR

INPUT: 28 VDC 5 AMPS.
OUTPUT: 575 VDC 160 MA.
Used $1.95 Unused $3.95

Size 3½ x 4 x 7½ Wt. 8½ lbs.

DY-22 DYNAMOTOR

INPUT: 28 VDC 1.8 AMPS.
OUTPUT: 210 VDC 125 MA.
Price: Used $4.95

Size 3½x3½x6½;Wt.5lbs.

DYNAMOTOR & BLOWER ASSY.

INPUT: 18/19 VDC 3.5 Amp.
OUTPUT: 400 VDC 80 MA.
Size 5 x 4½ x 9 WT.7½ lbs
Price Unused $3.95

Stock #S-3416-1

Stock #W-114

INPUT: 18 VDC 3.5 Amp.
OUTPUT: 450 " 80 MA.
Size 4 x 4 x 6 WT. 6 lb.
Shaft size ¼ x 1
Price Less End Bells $2.95
Price with one Bells 3.95
Price with Two Bells 4.95

AC-DC Motors Hi-Speed Gear Reductions Blowers



DELCO PM MOTOR 250 RPM #5067127
27 VDC WITH GEAR ATTACHED TO ¼" SHAFT REMOVEABLE MOUNTING, 8 OZ. INCH TORQUE REMOVED FROM NEW EQUIPMENT.
PRICE $4.95
SIZE: 4x1¾x1½
WT: 8oz.
GE SAME AS ABOVE NOT PM #5BA10AJ8D $3.95

EMC 41314 110 VAC 60 cy. Induction Motor with Mounting feet. 1550 RPM thru a gear reduction to 24 RPM. Right Angle Drive. Size 4 X 3½ X 7 3/4. Shaft size 5/16 X 5/8 with removable Gear. Wt. 5 lb. 13 oz. Price....$9.95

Stewart Warner 6VDC Motor 3000RPM. Very good Torque. Size 3" X 4". Shaft 1¼ D. X 1½ L. Wt. 2 lb. 13 oz. Stock No. 10D06. Used Price..... $ 1.50

12VDC 3000RPM Motor. Size 2 3/4" X 3". Shaft Size ¼ X 5/8 with an 8-32 X 3/16 L. thread on the end. Wt. 1 lb. 10 oz. Stock No. 10D15. Price.....$1.75

6-12 VDC Open frame reversible Motor App. 4000 RPM with good Torque. Size 2¼ X 2½ Shaft 1/8 X 3/8 with a small gear attached. Wt. 14oz. Price....$1.00



12-24VDC Gyro Motor 3500RPM. Has a heavy laminated steel balanced fly wheel 5" in diameter. Motor and fly wheel pivot mounted at point of balance. Overall size 7" X 5 3/4" X 4". Wt. 5 lb. 2 oz. Stock No. 10DG1224 Price.....$4.95

General Electric 5BA25MJ424 - Type BA 24 V @ 4.2A 7100 RPM 1/20 HP Flange mount Motor size 2½" X 5". Shaft size ¼ X 1 Wt. 3½ lbs. Price..... $ 2.95

Air Associater EE1430M2 Spec. No.KS5875L.01 Flange mount 27VDC @ 20A. ½ HP 3800 RPM. Size 4¼ X 4¼ X 6 3/4 L. Keyed Shafts ½ X 1½ with gear attached. Wt. 9 3/4 lb. Price... $ 4.95



Eicor M21027 (ML-2310-77) Antenna switching Motor assy. 24 VDC @ .32A 1800 RPM. Size Motor only 2½" X 2 3/4L. Shaft ¼ X 3/8". Size complete assy. 3 3/4 X 3 3/4 X 6". 5 British type Co-ax fitting-to 4 Motor driven contacts. Wt. Motor only 1½lbs. Complete Assm. 3lbs. Price complete unit ... $ 2.95

Oster No. E-1-1. 28VDC @ 3.3A. 5000RPM. 1/25 HP series Motor with 6" Aluminum flywheel. Has governor controlled speed. Shaft 5/16 X 1". Overall size of Motor 3 3/8 X 6½. Wt. 5 lb. 10 oz. Stock No. E-1-1 Price..... $ 4.95

General Electric 5BA25AJ32B Flange type mount. 24 VDC @ 2.9A 7000 RPM 3 Wire reversible with Magnetic brake. Size 2½" X 4¼" L. Shaft 3/16 X 3/4 Splined Wt. 2¼ lbs. Price, Motor only..... $ 2.95

General Electric 5BA25D2300. Flange type mount 24 VDC @ 2A. 4600 RPM Governor controlled with Magnetic brake. Size 2½" D X 5 3/8" L. Shaft 3/16" X 7/8". Splined Wt. 2½ lbs. Price, Motor only..... $2.95



John Oster type C 24A-18 - KS-5829-01 27 VDC 1/100 HP 7000 RPM DC Series Motor 2" D. X 3" L. Shaft ¼ X 1 Wt. 1 lb.....Price $ 1.95

Philco Gear reduction No. 441-1008 24VDC. Output speed 3.7 RPM 40 lb. in Torque. Size 4 X 3 3/4 X 5½. Shaft size 5/16 X 5/8. Wt. 3 lb. 12oz. Price.....$5.95

Windshield Wiper Motor 24VDC. Very powerful, May be used wherever an oscillation motion is desired such as stirring or agetation. Size 2 X 3½ X 3 5/8. Shaft extends out 1½" from the Motor. Wt. 1 lb. 10 oz. Stock No. 10D24. Price.....$2.95

Delco 5069370 27 VDC Reversible PM Motor and Gear assm. in an Aluminum case. Output speed is 80 RPM through a friction clutch to a double shaft ¼ X 3/4 on one side, ¼ X 1½ on the other. Size complete assm. 3 5/8 X 2 X 4¼ excluding shaft. Has built in noise filter system. Wt. 1 lb. 5 oz. Price..... $ 4.95

Same Motor as used in above assm. Size 1 1/8 X 1½ X 2¼. Wt. 4 Oz. Price..... $2.95

Air Associates EE1530 Gear reduction 24 VDC @ .8A. 25 lb. in Torque, 5 RPM Reversible. Size 4½ X 3½ X 5½. Keyed Shaft ¼ X 1 3/4 with a 4" arm attached. Wt. 5 lb. Price $ 4.95

General Electric 5BA10AJ52 27V @ .65A Gear reduction 145 RPM Output on a 1/4 X 3/8 Splined shaft. 14 oz. in Torque. Motor size 1 3/8 X 3½. Wt. 8 oz. Price.....$4.95

12 Volt DC Gearhead Motor 1 & 1/2 RPM 75 in. lbs. torque. size 5x5x5 inches. Mfg. by White Rodgers. Type 3 part no.6906V. Price $4.95

Bendix 1M108J 24VDC 1/25 HP 15,000 RPM Series Motor. Geneva Loc. Actuator. Shaft roates ¼ revoluation and stops and is locked in place until next contact is made then the cycle is repeated-time per cycle app. 3 seconds. Size 4 X 2¼ X 5½. Shaft size ¼ X ½. Wt. 1 lb. 14 oz. Price..... $ 4.95



24 VAC Gear Motor #340. Clutch type Rotator 20 RPM. Double shaft 5/32 X 1½" on each side - not reversible. Size 5 X 2½ X 1½ excluding shaft. Wt. 1¼ lb. Price..... NOT AVAILABLE

24 VAC Gear Motor #14-343 3 RPM output Size 5 X 2½ X 1¼. Shaft size 5/32 X 5/8 Wt. 1 lb. 2 oz. Price.....$1.95

Air Associates EE1220MJ-Gear Reduction. Either end or Base Mount. 27V @ 1.75A-1/75 HP 960 RPM with Governor control. Size 2½ X 2 3/4 X 5¼. Shaft ¼ X 3/8. Wt. 1 lb. 12 oz. Price..... $3.95

12 VDC Timing Motor-Thru gear reduction to ½ RPM. By pressing on a slide switch assm. the motor starts, runs for 2 minutes (one complete revolution) then stops automatically. Motor and gear assm. enclosed. Size 4¼ X 3½ X 3½. Shaft 5/32 X 78. Wt. 1 lb. 12oz. Price.....$1.50

John Oster Shunt Motor B-9-1 27½ VDC @ .7A. 5600 RPM. Aluminum Cased Motor and Gear assm. Motor is flange mounted to the Gear case. 2 gear reductions 22 and 5½ RPM on ¼ X 1¼ shafts. Size 2 3/4 X 3 X 7". Wt. 1 lb. 14 oz. Price..... $ 1.95

MOTOR ONLY $1.50

DELCO PM BLOWER
DELCO motor #506871, 27 volts DC 10,000 RPM & Blower Assy. overall size 2 5/8 x 2¼ x 3 WT. 9 oz.
Motor-Blower $3.95 Motor only $2.95

OSTER 10 CFM Blower
John Oster motor C2BP-1A 27.5 VDC 1/100 HP 6000 RPM with blower 10CFM. Size 3½ x 3½ x 4½ Wt 1½
Motor & Blower $3.95 Motor only 1.95

400 CYCLE BLOWER
Eastern Air Devices 10 CFM Blower 115 Volt 400 cycle, 1/100 HP motor. Size 3½x3½x4½ Wt. 1 lbs.
Motor- Blower $5.95 Motor only $3.95

PINCOR BLOWER
Cast Aluminum housing shunt type motor 24 VDC 5000 RPM, 10 CFM blower. Motor noise filtered. WT 1lb 10 oz. Size 3½x4½x4.
Motor-Blower $5.95 Motor only $1.95

OPEN TYPE BLOWER
Delco motor 5069267 27 VDC 6000 RPM, reversible shunt type, flange mount. WT 1 lb size 1-3/4x2-5/8x2½.
Motor-Blower $1.95 Motor only $1.50

HIGH PRESSURE AXIAL FLOW FAN

GE Model 4318B-1A 100 CFM
Input 24-28 VDC 1.5 Amps
RPM 6000 1/70 HP.
Size 5" x 6"
Mfg. by Dynamic Air Engrg.

Stock No. 4318B-1A $4.95



MOTOR PUMP & CYLINDER
Sampsel P M Motor with 2½" pressure pump & 2½" vacumn cylinder also 3 small relays, micr switch. operates from 24 VDC.
Price $6.95

CAMERA MOTOR
Open frame used in aircraft cameras 12 Volt AC-DC Double end shaft 1/8 x ¼, motor size 2¼x 2½.5000 RPM. # CM-120
Price $1.95

PERMANENT MAGNET DC GENERATOR
2.1 Volts & 100 RPM.
Electric Indicato
Style CB. Stock # 3H3100-83
Size 3½ x 1½ x 2. Shaft 3/16 x 5/8
New $9.95

RL-42 ANTENNA REEL MOTOR & GEAR BOX
24 volt DC 1/8 HP reversible motor with magnetic clutch. Adjustable gear box with limit micro switches.
Originaly used in planes for letting out & reeling in antenna
Motor & Gear Box Used $1.95 N $3.95
W/Empty reel .50 extra
Reel with 200 FT. Antenna Wire $2.00

HEAVY DUTY REVERSIBLE TYPE GEAR HEAD MOTOR JOHN OSTER #KU-IL-IR
28 VDC 100 - 200RPM
8 AMP 2½ lb. FT.
torque. Size 7½ x 10 x 4¼ WT. 12 lbs
Shaft size 7/16 x 3/4. Price $5.95

UTILITY BLOWERS

NOTE: The 115 volt 60 cycle blowers listed below are stanard type units and have motors that will not cause radio interference.

50 & 100 CFM BLOWERS

For Heat Boosters, Dryers, Exhausters, Drafts

$9.95
#1C939F

No. 1C939F

No. 1C880F

$14.95
#1C880F

You can't buy a better blower for forced drafts for warm air heating systems, heat boosters, exhausters, dryers, etc. Lowest priced, best made blowers of their kind. Single and twin types, 50 and 100 CFM respectively. Sturdy 3" dia. blower wheels are direct-driven by 115V, 60 Cy., quiet running Dayton motors. Steel housings are rubber mounted. 2¼" discharge. Outlet velocity is 2030 ft./min. 9" wire leads. Black finish. Shpg. wts. 5 and 6 lbs.

275 CFM TWIN BLOWER

For Hot & Cold Air Circulation, Exhaust, Etc.

$22.95
#2C069F

275 CFM Dayton Twin Blower. Ideal for air circulation, forced draft, and exhausting jobs requiring more air than possible with single blower. Efficient, dependable and quiet. 4½" dia. balanced wheels powered by 1550 RPM, 115V, 60 Cy. motor with 12" leads. Rubber mounted pressed steel housings with 3¼x3" outlets. Each outlet has 4¾" square flange to facilitate mounting. Outlet velocity is 1960 ft./min. 4½" dia. air intakes. 11¾" W x 8⅜" H x 8½" D. Black baked-on enamel. You'll like this blower's performance and the way it is built. Wt. 12 lbs.

144 CFM AIR-VENT BLOWER

For Ventilating & Heating. Quiet Operation

$14.95
#2C982F

Low cost, 144 CFM Dayton Blower for commercial, household and marine ventilating and heating applications. Operates quietly and cooler over long periods. Balanced, 4½" dia. blower wheel. Husky 1450 RPM, 115V, 60 Cy. motor with 9" leads. Formed pressed steel housing rubber mounted for quietness. 8⅜" H x 7¼" W x 8½" D. 3⅜" W x 3" H discharge. Outlet velocity is 2050 ft./min. 4½" dia. air intake. Black, baked-on enamel finish. Can be adapted to many types of mounting. Get a sample blower—test will sell you. Shpg. wt. 7 lbs.

108 CFM 'PANCAKE' BLOWER

Compact—Motor is Inside Blower Wheel

$15.95
#2C067F

Dayton "pancake" moves 108 CFM where installation space is limited. Only 4¼" wide—because motor has been built inside blower wheel. Fits into 4-5/16" W x 8¾" H x 8½" space. Discharge 3⅜" W x 3" H. Outlet velocity is 1530 ft./min. 4½" dia. squirrel cage blower wheel and air intake. Steel, rubber mounted housing with baked on black enamel finish. 1550 RPM, 115V, 60 Cy. motor with 12" leads. Shpg. wt. 6 lbs.

140 CFM UTILITY BLOWER

For Exhausting, Forced Draft, Cooling, Etc.

Delivers blasts of air

$14.95
#2C610F

Compact, 140 CFM single-inlet blower. Top performance for forced draft, ventilating, exhausting, cooling and drying applications. 5⅛ x 4" mounting flange with 2½" square discharge. Outlet velocity is 3230 ft./min. 3½" dia. blower wheel direct-driven by 2800 RPM, 1/15 HP, 115V, 60 Cy. motor with conduit box and 20" leads. 7½" W x 7¼" H (less flange) x 6¾" D. Order sample and test best 140 CFM utility blower. Wt. 9 lbs.

50 CFM ADJ. BLOWER BUY

Has Adjustable Air Intake Plate

$10.50
#1C180F

Ideal for hundreds of blower applications that require adjustment of air intake and discharge. 50 CFM max. Widely used to provide controlled draft on furnaces—installed on ash pit door. 3" blower wheel powered by 2800 RPM, 115V, 60 Cy. motor. 2¾" dia. discharge on 4" diam. mounting flange. Outlet velocity is 1640 ft./min. Adjustable air intake plate. Steel housing and conduit box. 12" wire lead. Bright black finish. Quiet operation. Easy to install. Shpg. wt. 5 lbs.

Capacitors



2000 MFD	15 VDCW	1½x4½RD $ .59
6000 MFD	15 VDCW	2 x4½RD .75
5 x5 MFD	400 "	3½x3½x2 .65
6 MFD	600 "	3½x3½x1 .85
10 MFD	1000 "	4 x4½x2 1.75

All above items are new & unused

OIL CONDENSERS listed below have been removed from unused equipment and are guaranteed.

4	MFD	400 VDC	2½x3½x1¼	.30
5-5	"	400 "	3½x3½x2	.50
4	"	500 "	1½x4½x1	.40
2	"	600 "	1½x4½x1	$ .25
4	"	" "	2½x4½x1¼	.45
8	"	" "	3½x4½x1¼	.75
8X8	"	" "	3½x3½x2	1.00

(Plug in Type 4 prong)

1	"	1000 "	1½x2½x1	.30
2	"	" "	2½x4½x1¼	.40

Round can single hole mounting
Negative can. Size 1½ x 4½
Unused slightly dented cans.

2 MFD 1000 VDC . 4 MFD 600 VDC
$.35 each . $.25 each
3 for $1.00 . 5 for $1.00

.5	"	1500 "	1½x4x1	.50
5	"	660 VAC	3½x4½x1½	1.25
6	"	330 VAC	4x4½x1¼	.75
1	"	1000 VAC	3½x4x2	.75

Condensers

PRICE:
$6.95
#C-125

ART-13 VARIABLE CAPACITOR
50-200 MMF. 7000 VOLT .17" AIR GAP. WITH AUTO TUNE ASSY.
SIZ: 5x5x12. WT: 6 LBS.

22 MMF to 118 MMF #1169 $1.95
20 MMF to 156 MMF #527-T5 1.95
33 MMF to 440 MMF #506-141 1.95

Four Gang Variable Condenser 14 to 530 MMF per section, with trimmers & shielded. Size 4½ x3 x 8". Stock #PC76330 Price $3.95

Variable Condenser
6 MMF 7000 Volt
3 plates
Stock #3D9005VE5
Price $.75

Midget Variable Condenser
135 MMF. long shaft.18 plate.
Stock # 3D9135V6 Price $1.00

Switches

Switches removed from new equip.

TOGGLE SWITCHES

TYPE	MTG	VOLTS	ST#	PRICE
S.P.S.T.	NUT	3A/125	SW-105	.20
S.P.D.T	"	"	8829K1	.35
4.P.S.T.	"	"	8883K2	.55
4.P.D.T.	"	"	SW-155	1.00
D.P.S.T	"	"	8822K1	.35
D.P.D.T.	"	"	SWP221	.50
S.P.S.T.	"	"	8817K2	.25
(Momentary)				
D.P.D.T.	"	"	ST-22R	.40

(Momentary one side)

SWITCH
HEAVY DUTY TAP
Six (6) position four hole mounting
Size 2½ x 2½ x 1½
Stock # 3Z9627
Price $1.50

ANTENNA CIRCUIT SWITCHING SWITCH
100 WATT
Size 4½x 2-3/4"
3/Make 3/Break
#3Z9626
$2.50



Vibrators

VB-16/6,12 or 24 volt for PE-237 $3.95

TYPES LISTED BELOW $1.95 Each

VB-1 /6 volt for PE-117
PE-97 & PE-237
(Same as VB-7)
VS-3 /6 volt for PE-104
(Same as Mall-550C)
G534/12 volt for PE-110
VB-8 /2 volt for PE-157
VB-9 /6 volt for PE-157
VB-11/24 " for PE-120
VB-12/6 " for PE-120
VB-13/12 " for PE-120

Rheostats

Watts	Ohms	Price
25	250	$1.25
25	200	1.00
50	2	1.00
50	1100	1.00
50	2000	1.00
50	2500	1.00
150	10	1.95
200	75	1.95

Rheostat in metal case
150 Watt 10 Ohm $3.95
fused, connector & knob.
Case size 4½ x 5 x 3½.

Breakers

CAT. #	VOLTS	AMPS.	PRICE
P-0111	125 AC	12	$1.50
PAM-1515	117 AC	1	1.50
PAM-1515	117 AC	3	1.50
62349M6	117 AC	1.25	2.50
	(3 POLE)		
8751KA	30 DC	10	.50
BG9300	24 DC	70	.50

Relays

ANTENNA Change over RELAY
12 Volt DC
2 Break
2 Make
100 Watt

Stock # 2C6191/11 Price $3.95



DYNAMOTOR STARTING
Relay 14 volt DC
S.P.S.T. 43 AMP.
Stock#3H1777A/3
Price $2.50

RELAY
12 VDC
10 AMP
D.P.S.T.
#2A0492
$1.00

RELAY
12 VDC
4 P.D.T
#ZA90611
PRICE
$1.95

VOLTAGE REGULATOR
12 VOLT DC
Type 956
Model 1
STYLE A
$2.95

DISC CERAMIC CONDENSERS
33 ASST.
15MMF-.01MFD.
Good Value
$1.00 a KIT



TUBULAR CONDENSER
50 ASST.
.00025 to .1
200 to 600 V
$1.00 a KIT



MICA CONDENSERS
25 ASST.
10 MMFD To 6800 MMFD.
$1.00 a KIT

TRIMMER CONDENSERS
25 ASST.
3 to 280MMF
WIDE RANGE
$1.00 KIT.



RESISTORS INSULATED
50 ASST.
½,¼,1 & 2 Watt wide range of good values
50 ASSORTED $1.00



RESISTORS WIREWOUND
25 ASST.
5 to 20 Watt.Wide range of values some tapped.25 ASST $1.00



VOLUME CONTROLS
10 ASST.
Popular Values
$1.00



TUBE SOCKETS
20 ASST.
Octals
Loctals
Minatures
Wafers etc
$1.00

PILOT LIGHT SOCKETS
25 ASST
Bayonet
Screw etc.
$1.00



TERMINAL STRIPS, Tie lug strips, ASST types. 25 for $1.00



TERMINAL LUGS, ring spade, crimp types. Wide variety of sizes for all uses in clear plastic box, Approx 200 PCS $1.00



ROTARY SWITCHES BRAND NEW
ORDER NOW
6 for $1.00

BATHTUB CONDENSER KIT
.1 MFD. to 1. MFD. up to 600 Volt.
10 FOR $1.00

GRAB BOX
10 POUNDS MISCELLANEOUS NEW-USEABLE RADIO PARTS
$1.00

Kits $1.00

MAGNETRON MAGNETS

Gauss: 5200	.Gauss: 5200
Airgap: 1/2"	.Airgap: 1/2"
Poles: Tapered	.Poles: Tapered
1-3/4 to 3/4"	. 1-3/4 to 3/4"
Height: 7"	.Height: 7"
Base: 2-3/4x6½"	.Base: 2-3/4x6½"
Weight: 9-3/4 lb.	.Weight: 9-3/4 lb
Price: $14.95	.Price: $12.95

MAGNETRON MAGNETS

Gauss: 1800	.Gauss: 1500
AIRGAP: 2½"	.AIRGAP: 2½"
Poles: 1-3/4	.Poles: 1½"
Height: 6"	.Height: 6"
Base: 3 x 10"	.Base: 3 x 10"
Weight: 20 lbs	.Weight: 18 lbs.
Price: $9.95	.Price: $7.95

MAGNETRON TUBE
RK6518/QK254
TOTAL WT.80 lbs.
Magnet is in 4 Pcs.
Price $30.00

Not sold for a useable tube

Each Section weighs 14 lbs.
Price $7.95

HORSESHOE MAGNETS

5 lb. Lift	2½x2x3/8" ¼ lb. $ .50
25 lb. Lift	2½x2½x1½ 1½ lb. 2.90
75 lb. Lift	4 x3½x3 4½ lb. 4.95

ASSORTED MAGNETS

Round Magnet 2½x2" WT.2 lb. $1.50
Oblong " 1½x2½x5/8 3/4 lb 1.00
Asst. types used on speaker
3 for 1.00



HAND TYPE MAGNETO GENERATORS

Used for ringing telephone lines AC voltage output approx.100 volt Can be used as shock machine, light small bulbs or drive worms out of the lawn.

GN-38 with 3 Magnets	$1.95
GN-38A NO Magnets W/COILS	1.95
GN-38B with Alnico Magnets	2.95
GN-41 With 4 Magnets	2.50
G-41PTRound type	1.50

GUN SIGHT
K - 13
Illuminated compensating complete with polarized filter magnifying & reflex lenses, gears, lamps etc
Price.... $ 3.95



TANK PERISCOPE
Mirror Type
Size 6½ x15"WT.9 lb.
Price $2.50

Prism Block only $.75

MINIMUM ORDER $3.00

Power Transformer Filament Modulation Microphone Chokes

PRI: 115/230 60 cyc
SEC: 800 CT. 120 MA
6.4 4.5 AMP
5 2 "
6.3 .6 "
6.4 450 MA
Size5x5x6 WT. 13 lbs.
Stock # 2Z9621-380
Price $3.95



PRI: 115 V 60 cyc.
SEC: 1080 CT.142 MA.
6.3 1 AMP.
6.3 2 AMP.
5 3 AMP.
Size 5x5½x5½ WT.14 lbs
Stock # 2Z9613.52
Price $4.95

PRI: 115 V 60 cyc.
SEC: 624 CT. 70 MA.
6.3 2.1 AMP.
5 3 "
Size3½x4x6 WT. 8 lbs.
Stock # 2Z9611.39
Price $2.95

PRI: 115 V 60 cyc.
SEC: 488 CT. 95 MA.
6.3 .52 AMP.
Size3½x4½x3½ Wt.6lbs.
Stock #2Z9612.150
Price $2.95

PRI: 115 V 60 CYC
SEC: 660 CT 100 MA.
6.3 5 AMP.
5 3 "
Size 4x5x4½ WT. 9½ lb
Stock # 6J23
Price $3.95

PRI: 115 V 60 CYC.
SEC: 1100 V 75 MA.
7.5 3.25 AMP.
Size 4x5x5 WT. 10½ lb
Stock # 2Z9812
Price $3.95

PRI: 115/230 V 60 cyc
SEC: 240 VCT 35 MA.
24 V .9 AMP
6.3 " .6 "
6.3 " .3 "
Size 3x3x3½ WT. 4 lbs.
Stock #RM-13-317
Price $1.75

PRI: 115 V 60 CYC
SEC: 4500 7.5 MA
2.5 2 AMP
SIZE:4x5x5 WT.12½
STOCK# 2Z9613.257
PRICE: $4.95

PRI: 115 V/50-60C
SEC: 720 CT/200MA
12.6 3 A
6.6 10 A
5.25 3 A
S/5x4½x5½.WT:
STK.# 203533
PRICE: $4.95

PRI: 115 V 60 CYC
SEC: 70 CT 2 AMP
2 CT 24 "
5.4 V 4 "
SIZE:5x5x4½ WT.13
STOCK#702770
PRICE:$3.95

PRI: 115 V 60 cyc
SEC: 700 CT 150 MA.
6.3 5 AMP
5 3 "
Size3½x3½x5 WT 8 lb
Stock #TH-T70R62V
Price$3.95

PRI: 115 60 cyc
SEC; 2400 CT 106 MA.
Size 7x4½x6½ WT.25 lb
Stock#2Z9614-152
Price $5.95

ISOLATION TRANSFORMER
STEP UP/STEP DOWN
230/460 - 115/230
50/60 cyc. 1 KVA
Size5x6x14 WT:40LB
Stock#JE240-401
PRICE: $9.95

AUTO VIBRATOR TRANSFORMER

VIBRATOR 12/115CY
SEC: 248CT 90 MA
1 2.4 AM
115 CYCLE
SIZE:2½x3½x3 WT4
STK#2Z9625-75
PRICE: $1.50

VIBRATOR 12/115CY
SEC:405 CT 140 MA
115 CYCLE
SIZE:2½x3x3 WT 3L
STK# 2Z9625-74
PRICE: $1.50

VIBRATOR FOR ABOVE TRANSFORMERS 6.3 V 4.3 AMP. FOR 12 V USE DROPPING RESISTOR.
STK# 3H6690-15
PRICE; $1.95

INSTRUMENT TRANSFORMER
PRI: 1-2-4-10-20-40
100-200-400
1000-2000
60 cycle
SEC: 40 V 100 MA.
ESPEY # 16,271
SIZE 5x6x7 WT.17½ lb
STOCK #2Z9621-554
Price $5.95

WESTINGHOUSE
CURRENT TRANSFORMER
Current Ratio - Amps.
150 - 5
25-60 cycle
Standard Impulse Test
Gap Rating .8 Inch.
Line voltage 1000
Style 71R567
Size 5x5x6 Wt. 7½ lbs.
Stock # 2Z9933-1911
Price $4.95

PRI:105-125
CYC: 60
VA: 80
SEC; 115 V
AMP:.695
Size4x4x8
WT: 13½ lb
ST#30725
Pr: $9.95

SOLA CONSTANT VOLTAGE TRANSFORMER

PRI: 115/230 V 60 cyc
SEC: 42 VCT 10 AMP
2 V 12 AMP
Size 9x4½x5 WT. 13 lbs
Stock # 3H4674B.1/T6
Used with RA-34B
Price $9.95

PRI; 115/230 V 60 cyc
SEC: 9 VCT 35 AMP
Size 5x7x6½ WT.21½ lb
Stock # 2Z9611-124
Price $5.95

PRI: 115 V 60 CYC
SEC: 5 V 6 Amp.
4 windings 5V @ 2 "
Size 3x3½x4 Wt.8 lb
Stock # 2Z9611.135
Price $2.95



PRI: 115 V 60 CYC.
6.3 CT 1 AMP
6.3 CT 1 "
6.3 CT .6 "
6.3 CT .6 "
6.3 CT 12 "
Size 4x4x5½ WT. 9½ lbs
Stock # 2Z9611.317
Price $3.95

PRI: 115 V 60 CYC
SEC: 5 VCT 5 AMP
Size 3½x4½x5 WT.6 lbs
Stock # 9953-5
Price $3.95



PRI: 115 V 60 CYC
SEC: 900 CT 300MA
SIZE:5x5x5 WT.16
STOCK#KEN-S13949
PRICE:$6.95



PRI: 115/230 60 cyc
SEC: 16 CT 39 amp
Size8½ x 10½ x 9½
WT.50 Open Frame
Stock# 2Z9600.111
Price $19.95

MODULATION TRANSFORMER
Watts 20 Response
Response 200-5000-1DB
Pri.Z 6000 SEC.Z 6000
Collins #677-2010-00
Size 2½x2½x3½ WT.3½lbs
Stock# 2Z9634.53
Price $2.95

ART-13
MODULATION TRANSFORMER
WATTS 100
PRI: 270 OHMS DC
SEC: #1 130 OHMS
#2 170 "
RESPONSE 200 - 50C
SIZE:4½x4x3 WT5LBS
STK:#2Z9634.38
PRICE: $4.95

MODULATION TRANSFORMER
50 Watt
RESPONSE 200 to 7000
PRI; 1800/4100 CT.
SEC: 2200 Ohm.
F/Collins 32 RA Trans.
Size 4x5x5 WT. 11 lbs.
Stock # 2Z9982
Price $2.95

MODULATION TRANSFORMER
100 Watt
RESPONSE 200 to 5000
PRI: 7000 SEC: 7000
F/BC-191/375 TRANS.
Size 3x4x5 WT. 5½ lbs.
Stock # 2z6191/T1
Price $3.95

MODULATION - TRANS
30 WATT (815 TUBE)
RESPONSE 200-5000
PRI:Z8000 CT.
SEC:Z4000
SICETONE WIND!
SIZE:2½x3x2½ WT2½
STK#CDX901360
PRICE: $2.95
DRIVER TRANSFORMER
SINGLE 6N7 TO PP
815.PRI:8000 OHM
SEC:3000CT OHM.
2½x2½x3½.WT 1 LB.
STK#901379
PRICE: $1.50

PRI: 115 V 60 CYC.
1200 200 MA.
12.5 2 AMP.
12.5 2 AMP.
5 3 AMP.
Size4x4½x4½ WT. 10 lbs
Stock # FAIR-617
Price $8.95
DESIGNED for COMMAND TRANSMITTER



PRI: 115 V 60 cyc
SEC: 500 CT. 80 MA.
5 3 AMP
24 2 "
Size 2½x2½x3½ WT.2½lb
Stock # FAIR-818
Price $4.95
DESIGNED for BC-603. BC-683,ARB.BC-348 ETC.

Same style as #818
PRI: 115 V 60 CYC.
SEC: 500 CT 80 MA.
6.3 2 AMP.
5 3 "
Size 2½x2½x3 WT. 3 lb.
Stock # FAIR-1000
Price $3.95

Same style as #818
PRI: 115 V 60 CYC.
500 CT 50 MA.
24 1 AMP.
5 3 "
Size 2½x2½x3 WT. 3 LB.
Stock # FAIR-619
Price $3.95
DESIGNED FOR COMMAND RECEIVERS



PRI: 115 V 60 cyc.
SEC: 12.5 V 2 AMP.
12.5 2 "
Size 4½x4x2½ Wt.5½ lb
Stock # FAIR-5005
PRICE: $4.95

Same style as #5005
PRI: 115 V 60 cyc
SEC: 24 V 1 AMP.
Size 2-3/4x2½x2WT.2lb.
Stock # FAIR-718R
Price $1.95

Same style as #5005
PRI: 115 V 60 CYC.
12.5 V 1 AMP.
Size 2½x2x2½ Wt. 1½lb
Stock # FAIR 2468
Price $1.75

OUNCER TRANSFORMERS

Transformer
Pri: 100 ohm
Sec: 4000 "
PO/BC-709 Amp.
3/4x3/4x1½
ST#2Z9931
Price $.59

Transformer
Pri: 1.5 ohm
Sec: 35-35 "
PO/BC-347
3/4x3/4x1½
Stock#2Z9947/421
Price $.59



8 HY 150 MA.
200 OHM
2½x3x2½"WT 2 lb
ST.# T13C30
Price $1.25

DUAL CHOKE
11 HY 100 MA.
200 OHMS.
4x4x5½"WT.8 lb
ST.#3C557F-1
Price $1.95

12.5 HY 100 MA
250 OHMS.
3x3½x2½" WT4 lb
ST.# 11277
Price $1.75

10 HY 550 MA
85 OHM
6½x4½x7:2LB
STK# K54J753
PRICE: $5.95

5 HY 50 MA.
250 OHM.
2x2x2½" WT. 1½
Stock# 3C367-2
Price $1.00

10 HY 150 MA.
150 OHM
3½x3½x4 WT.5½ l
Stock#3C323-625
Price $1.50

Microphone Transformer
Pri: 1 ohm
Sec: 2000 "
1½x2x1½
ST#2Z9666A
Price $.59



10 HY 400 MA
85 OHMS
6x3½x6½ WT15
STK#172502
PRICE: $4.95

CHOKE
15 HY 250 MA
175 OHMS
4x5½x5½ WT13
STK#3C317-47
PRICE $5.95

"A"CHOKE
1 HY 1 AMP
.7 OHM
2½x2½x3.1½LB
STK#RM-13331
PRICE:$1.25



17 HY 80 MA.
300 OHM
2½x3x2½" WT.
Stock #3C326-80
Price $1.00

8 HY 60MA.
130 OHM
2x2½x2" WT. 1½
STOCK #3C225
Price $1.00

AUDIO OUTPUT TRANSFORMER
PRI: 450 ohm
SEC: 300/4000
ohms impendance
PO/BC-348
STOCK#2C4348M/T
2x4x2½ WT.2½ lb
Price $ 1.00

Microphone Transformer
Pri: 15 ohm
Sec: 5000 "
1½x1½x2"
PO/BC-26/AIC
ST#2Z9631.121
Price $.59

LIMITED SUPPLY BUY NOW!!!

T-28/APT-1 RADAR JAMMING TRANSMITTER

T-28/APT-1 RADAR JAMMING TRANSMITTER COVERING THE FREQ. RANGE OF 140 TO 210 MC. AM. USES TUBES: 931(NOISE TUBE)2/832,2/6C4,2/5R4 3/6AC7,1/6V6,1/6X5. WITH 115 VOLT 400-2600 CYCLE SUPPLY. SIZE: 7½x10x20. WT: 35 LBS. PRICE: USED $19.95

PRICE UNUSED $3.95

ID-11/APS-4 INDICATOR SCOPE 3"/3FP7 & 2/6J6 TUBES.



NEW $14.95

RADAR OSCILLOSCOPE

BC-929 OSCILLOSCOPE makes a low cost station monitoring piece of equipment according to article written in QST Magazine August 1957. Has complete vertical, horizonal, focus, sweep and intensity controls. Tube lineup 1/3BP4, 2/6H6, 2/6SN7, 1/6G6, 1/6X5, 1/2X2 and 24 VDC antenna change motor. Complete with tubes and 400 cycle power supply.

INDICATOR ID-99/APS-10

With 5FP7 Scope Tube, 6AL5, & 2/6AK5 Tubes. Includes Video, Deflection, Focusing, & Brilliance Controls..... USED $3.95

POWER SUPPLY PP-111 / APS-10

Complete with Tubes: VR-105 6X5, 5R4, 6Y6, 6SH7, & 2X2. Input 115 V 400 cycle & 24 VDC; Output 4000 VDC, 105 VDC & 300 VDC. Shockmounted Chassis, Size: 9" W x 11" H

NEW $ 4.95

SN-17/APS-10 SYNCHRONIZER

Twenty four (24) tubes 2/6V6 20/6C4,&2/6AG5. Used with APS-10 radar set for control of scope & antenna units also small PM blower anhenna tilt meter pulse transformer,many other parts. USED $12.95

I-198 SIGNAL GENERATOR

Covers frequency 8-15MC with modulation & variable output. Uses 3 tube and operates from 115 V 60 cycle. Portable case with cover,schematic & test lead. Size 11x8x7 WT.13 lbs. Price Unused $8.95



MOBILE MODULATOR

& 12 VDC DYNAMOTOR CRV50248 Using 2/6L6 & 1/12SL7 Tubes.Dynamotor 13 VDC 23 Amp 385VDC 500MA.Also 2 sealed Relays, jacks switches etc. WT 23 Size 13x9x15 Price Used...$12.95





GE type 2CV1C1 400 cycle two separate control systems uses 4/6SN7 & 8/6V6GT tubes Price less tubes $ 4.95

ARC-4 RECEIVER-TRANSMITTER

COVERS THE FREQ. OF 144-148 MC. EASILY CONVERTED TO TWO METERS. LESS TUBES, DYNAMOTR & OUTSIDE CASE. PRICE:USED $9.95

UNUSED $49.50

PANORAMIC ADAPTER & OSCILLOSCOPE ID-60/APA-10

TWO UNITS IN ONE WITH THREE INPUTS FOR FEEDING IF INPUTS FREQ. OF 455KC,5.2 MC OR 30 MC FOR VIEWING ON 3" SCOPE TUBE.CAN ALSO BE USED AS A REGULAR SCOPE. OPERATES FROM 115V/400 CYCLE.COMPLETE WITH 21 TUBES.

PP-580/APA-17 POWER SUPPLY

115 V 400 CYC USED $8.95

ANTENNA'S FOR APA-17 VAIROUS TYPES.ADVISE # USED $9.95

BC-376 TEST OSCILLATOR 75 MC.

LOW POWER TRANS. OR HET.FREQ. METER, CRYSTAL CONTROL & MODULATION. BATTERY OPERATION,1.5 & 90 VOLTS.TUBESREQUIRED 1/1A5,8/1C5.W/WESTON 3" VOLT METER. CHASSIS,LESS CASE,TUBES & CRYSTAL. USED $8.95

ULTRA VIOLET - BLACK LIGHT CRIME DETECTION SET



PRICE: UNUSED $39.50

Long & short wave light assy. that supplies three different sources of ultra-violet light by use of mercury-vapor lamps & filters, also a separate black light lamp. Used in assisting in the detection of crime such as forgeries, fluorescing of various metals, narcotics, finger prints or any cover up that cannot be detected with the naked eye. Complete with five mercury vapor germicidal lamps (3 in use), two sealed mercury vapor lamps, two black lamps, goggles, cables, instruction book, etc. Operates from 115 V

MINE DETECTOR AMPLIFIER

BC-1141 DETECTOR AMPLIFIER as used in SCR-625 Mine Detector which used a tone for detection of metals. Dry battery operation, 93 volts and 2 flashlight cells. Complete with tubes 2/1N5GT and 1/1G6GT. $ 2.95



Fair Radio Sales Co.

132 SOUTH MAIN STREET
P. O. BOX 1105 LIMA, OHIO
TELEPHONE CA 6-6716

Name — Please Print Clearly — DATE

Street Address — R. F. D. — P. O. Box

Postoffice — State

REMARKS:

PLEASE DO NOT USE	CATALOG STOCK No.	Page No.	Quantity	Shipped	✓	DESCRIPTION	Price Each	Total Price Add This Column	Do Not Use

TERMS: Our terms are cash. We ship C.O.D. on orders with deposit. All trade and cash discounts have already been deducted in our catalog quotations. All prices are net, f.o.b. shipping point.

MINIMUM ORDER $3.00

IMPORTANT. Any correspondence not connected directly with this order should be placed on a separate sheet. This will speed handling of both order and letter.

HOW SHALL WE SHIP

- ☐ PARCEL POST
- ☐ EXPRESS
- ☐ FREIGHT
- ☐ AIR EX.
- ☐ BEST WAY

Include sufficient money for postage. We refund unused amounts. Please send cash by registered mail only. FILL IN AMOUNT ENCLOSED

Money Order		
Cash		
Check		
Credit Memo		

PLEASE DO NOT USE

ON FREIGHT OR EXPRESS ORDERS

If your station has an agent do not send money for shipping charges. If no agent, send money to pay the charges in advance. Charges are the same either way.

THANK YOU FOR YOUR ORDER

TOTAL FOR GOODS				
STATE TAX (Ohio)				
For Postage and Insurance				
Due from Previous Order				
TOTAL				

Fair Radio Sales Co.

132 SOUTH MAIN STREET
P. O. BOX 1105 LIMA, OHIO
TELEPHONE CA 6-6716

Name Please Print Clearly DATE

Street Address R. F. D. P. O. Box

Postoffice State

REMARKS:

PLEASE DO NOT USE	CATALOG STOCK No.	Page No.	Quantity	Shipped	✓	DESCRIPTION	Price Each	Total Price Add This Column	Do Not Use

TERMS: Our terms are cash. We ship C.O.D. on orders with deposit. All trade and cash discounts have already been deducted in our catalog quotations. All prices are net, f.o.b. shipping point.

MINIMUM ORDER $3.00

IMPORTANT. Any correspondence not connected directly with this order should be placed on a separate sheet. This will speed handling of both order and letter.

HOW SHALL WE SHIP

- ☐ PARCEL POST
- ☐ EXPRESS
- ☐ FREIGHT
- ☐ AIR EX.
- ☐ BEST WAY

Include sufficient money for postage. We refund unused amounts. Please send cash by registered mail only. FILL IN AMOUNT ENCLOSED

Money Order		
Cash		
Check		
Credit Memo		

PLEASE DO NOT USE

ON FREIGHT OR EXPRESS ORDERS

If your station has an agent do not send money for shipping charges. If no agent, send money to pay the charges in advance. Charges are the same either way.

THANK YOU FOR YOUR ORDER

TOTAL FOR GOODS		
STATE TAX (Ohio)		
For Postage and Insurance		
Due from Previous Order		
TOTAL		

PLEASE DO NOT USE	CATALOG STOCK No.	Page No.	Quantity	Shipped	✓	DESCRIPTION	Price Each	Total Price Add This Column	Do Not Use

ANTENNAS

Mast Bases



5 ft. Tubular steel, cooper coated and painted sections. These screw together to make any desired length. MS-49 being the top & smallest section increasing in size through MS-50-51-52-53 to MS-54 being the larger one. Either the MS-53 or MS-54 will fit together to form any additional heighth desired. Example a 33 ft. vertical may consist of one each MS-49, 50,51,52, and 7 each of MS-53 or it may be finished out on the bottom with 6 MS-54 sections. Self support to about 18ft. Average Wt.app. 3/4lbs. MS-49-50-51-52-53 .50¢ea. MS-54 .75ea

Mast Bases

MP-22 Side mount swivel mast base will tip to 90° either right or left. Has a spring snap lock in the vertical position, will take either the MS-53 or MS-54 mast sections. Size Mtg. plate 5" 6" X 10½" high. Wt. 9 lbs. Price.....$2.95

MP-22A Same as above except mounting hole is for the MS-51 with the MS-49, MS-50 and MS-51. This will make a 9 ft. tapered antenna. Price $2.95

MP-33 A heavy weight spring mast base for the MS-53 or MS-54 with 5" phenolic insulator. 10½" high. Requires a 2" Mtg. hole. Wt. 8½ lbs. Price $5.95

MP-37 Heavy coil spring with an 8" climeter ceramic insulator. Requires a 2" Mtg. hole. 12" high WT 10½ lbs. Price.....$5.95

MP-48 A rugged mast base with the insulator above the spring will take the MS-53 or MS-54 mast sections. Size 3"D. X 16½"H. Wt. 11 3/4 lbs. Price.....$2.95

F M Mobile Antenna
Base & Whip

Whip Antenna 6½' tubular steel copper coated consist of one each MS-117 & one MS-118 which screw to-gether to make whip,taper 3/8" to 1/8". AB-15 insulated Mast Base for holding sections, flexiable rubber covered spring. Insulator size 3" x 3½", mounting hole required 2". Coaxial connector at bottom.

Complete Antenna $5.95

RADAR ANTENNA from 3 CM APS-4 Radar complete with 24VDC motor,position transmitter,wave guide 7/8" x 5/8". reflector size 13" x 15".

Price $2.95

Removed from new equipment

Wave guide to match above antenna 11" long 5" elbow plus controls

Price $4.95



AS-150/ ART	Whip Antenna 30" long with 8ft. matching coax cable & SO-239 plug.	$1.50
AS-97/ART	Whip same as above except 72"rod.	1.95
AS-27/ARN-5	Horizontal folded dipole as used with RC-103, BC-733, ARN-5 Equip. on airplanes. 108-110 MC. Used $2.95	4.95
AN-148	Dipole Antenna 150 to 180 MC.	2.95
AN-104A	Stub Antenna f/SCR-522 100-156MC.	1.25

PLYWOOD ANTENNA MAST 50 FT.

MA-7A Mast for mounting antenna. Consist of 5 sections 4" tubular plywood ,couplings, guy ropes,gin pole base & stakes Sipping WT. 200 lbs. $24.95

STRAIN INSULATOR Size 1x3 4 for $1.



AN 109	AN 130	AN 745	MP 74	AN 75	EXT 24"	AN 546	TEL 20"	UHF 10"	UHF 13"	UHF 16"

AN-109 Whip antenna 5 FT. tapered ¼" tol/8" mounted on bakelite base 2½"x2½"x1½" cadmium plated.

Price $1.50

AN-117 Whip Antenna 6 Ft.no base Tapered 5/8" to 1/8".

Price $1.50

AN-75 Whip Antenna telescoping 84",collapsied 12",no mounting taper 5/8" to 1/16". Price $1.00

AN-745 Whip Antenna telescoping 3 section 94",no base or mounting. taper 5 /8" tol/8". Price $1.50

AN-131 Whip Antenna 12 foot throw-out type no mounting,taper 3/8"to 1/8".

Price $1.50

AN-130	Gooseneck Whip 30" F/BC-1335,BC-1000	$1.00
AN-546	Saber Type 16" Plastic Base	1.00
MP-74	Gooseneck base only 3/8" opening	1.00

UHF Whip Antenna's with coax fitting on 3" insulated mounting.

13" Rod $1.00 10" Rod $1.00
16" Rod $1.50 18" Rod $1.50

Chrome plated telescoping 20" no base. Price $.50

WHIP EXTENSION 24" 5/8" rod ½"x12 thread, can be screwed to-gether for longer lengths.

Price $.60 ea. 10 for $5.00

RADAR ANTENNA

AS-18/APS-3 with 18" reflector,24 Volt DC motor,position indicator & wave guides.

Price $19.95

GROUND PLANE ANTENNA

Ground plane antenna to cover 20 to 50 MC. Made from surplus insulated base & screw in type mast sections. Mounts on 1 to 2 inch pipe. Specify operating frequency range.

GROUND PLANE ANTENNA

$12.95



Antenna Telescoping
AN-29 for BC-659
12 FT,10". $2.95

AN-45 for BC-620
8 foot $1.95

INSULATOR TERMINAL STRIP

8 feed thru insulators size ½ x 1, mounted on 1 x 9 terminal strip. Each strip $.35 Four strips $1.00

AERIAL WIRE

Phosphorous bronze #16 stranded 200 lb test, weatherproof,150 ft. on RL-3 REEL with Clips.

$1.50

MOBILE COMMUNICATIONS

M-1 $9.95

Standard amateur communications antenna comprised of the following parts:
M-3 Base
M-3A Spring
M-3B Whip
Weight — 4 lbs. 7 oz.



M-2 $12.45

Standard amateur bumper mount antenna comprised of the following parts:
M-2A Bumper Mount
M-3A Spring
M-3B Whip
Weight — 4 lbs. 5 oz.

UNIVERSAL SWIVEL BASE

M-3 Base — Top-quality aluminum 2" diameter swivel with Bakelite mounting insulator and heavy steel back-up plate complete with water-sealing gasket and mounting hardware . . . Gleaming finish ball. A ⅜"-24 female thread will accept rod or spring.

SPRING FOR MOUNTING WHIP

M-3A Spring — Specially styled heavy duty spring for 96" maximum length whip. Bend it through a 100° arc and it will not break or fail in performance. Maximum electrical conductivity assured by a center braid . . . ⅜"-24 male thread at one end, ⅜"-24 female on other end fits base and whip.



STAINLESS STEEL WHIP

M-3B Whip — The 96" taper ground stainless steel whip has ⅜"-24 male threaded base fitting. It can be fitted directly to either spring or base, will cut to any desired length and will bend to 90° and return to upright position without harm.



Double Chain Bumper Mount ASP-143



MOBILE ANTENNA PRICES

M-1	Complete with base,spring, & 96" whip as listed below.	$9.95
M-3	Universal swivel base.	$3.50
M-3A	Spring for mounting whip.	$3.00
M-3B	Stainless steel whip 96".	$3.50
M-2A	Chain Bumper Mounting.	$5.95
ASP-143	Double Bumper Mount	$7.95
M-13	Swivel Base with shielded coaxial connector	6.00
M-4	Whip Gutter Clip	1.00

ASP-165 Coaxial Antenna cable with PL-259 connector one end used with M-13 coaxial base,12FT.$3.50

LM-144 Automotive coaxial cable 2.95 push pin plug one end 12FT.

NEON LIGHTING ARRESTOR HI-POWER 4 for $1

SMALL ANTENNA INSULATORS

Insulating material made of polestyrene Size 1½x1½ Mtg.hole 3/4" Receptacle size 3/8x24 TH. STOCK # 2Z3021-227 Fits ANT. AN-130,131, Size 7/8x1½ MTG.hole 5/8" Receptacle size ¼ x 20.TH. Fits any of the UHF Rods Stock # 2Z3062-237 Specify type each $.75



RE-1/ARR 1 CONVERTER

RE-1/ARR-1 CONVERTER 234-258 MC USING 4/954 ACORN TUBES. USED WITH BC229, BC429 & RU SERIES RECEIVERS AS IT MOUNTS ON TOP INSTEAD OF COVER. CAN BE CONVERTED FOR 2,6 & 220 MC BANDS. COMPLETE WITH TUBES SIZE: 3½ x 3½ x 12. WT: 4 LBS.

PRICE: RE-NEW $3.95



INDICATOR AMPLIFIER SCOPE APA-17

IP-94/APA-17 RADAR INDICATOR 5", AMPLIFIES AND GIVES VISUAL INDICATION OF THE RELATIVE BEARING OF RADIO & RADAR SIGNALS IN THE FREQUENCY RANGE OF 250 TO 1000 MC. WHEN USED IN CONJUCTION WITH A RECEIVER COVERING THE SAME RANGE. MAY BE ADAPTED FOR USE ON OTHER FREQ. OR CONVERTED FOR USE AS A TEST OSCILLOSCOPE. HAS HAS ALL CONTROLS ON FRONT PANEL ALSO HAS SELSYN MOTOR ATTACHED TO VARIABLE CONDENSER THAT IS USED FOR SCANNING IN SYNCHRONUS WITH ANTENNA MOTOR. COMPLETE WITH 1/5JP2 5" CATHODE RAY TUBE, 1/6SH7, 1/6SJ7, 2/6AC7. 2/6H6, 1/6V6 & 2/2X2 HAS POWER SUPPLY FOR CR TUBE ONLY THAT OPERATS FROM 115 VOLT 400 CYCLE. SCHEMATIC FURNISHED ID-80/APA-17 WHICH IS EARLIER MODEL BUT WILL BE VERY SIMILAR. SIZE 11½ x 9½ x 24: WT: 24 LB

PRICE USED $12.95

ID-80/APA-17 SAME AS ABOVE ONLY EARLIER MODEL AND USES ONLY ONE 2X2 TUBE. WITH SCHEMATIC.

PRICE RE-NEW $26.95



RADAR TRANSMITTER T-9 APQ-2

T-9/APQ-2 RADAR TRANSMITTER AM 200 - 500 MC ORIGINALLY USED IN AIRCRAFT FOR JAMMING RADIO & RADAR SIGNALS. APPROX. 6 TO 15 WATTS OUTPUT DEPENDING ON FREQ. EXCEPTIONALLY STABLE LINE OSCILLATOR EMPLOYING TWO W.E. 388 DOORKNOB TUBES IN PUSH PULL. INDEPENDENT GRID & PLATE TUNNING WITH INDICATION ON VEEDER ROOT COUNTERS. COAXIAL OUTPUT POWER MEASURING ASSY WITH ADJUSTABLE OUTPUT COUPLING & TUNNING ASSY. VOLTAGE REQUIRED 450 VDC 250 MA. & 2 TO 6 V. COMPLETE WITH TUBES 931 NOISE TUBE, 2/807, 2/6AC7, 1/6AG7, 2/388 TUBES ALSO USED BUT NOT SUPPLIED. SIZE 7½ x 10 x 19½: WT: 33 LBS.

PRICE: USED $9.95 RE-NEW $12.95

T-39/APQ-9 SAME AS ABOVE A.M. 500 TO 585 MC TUBES SUPPLIED 931 NOISE TUBE, 2/807, 2/6AC7, 1/6AG7, & 2/8012.

PRICE: USED $9.95 RE-NEW $12.95

ALTIMETER RT-7 APN-1

RT-7/APN-1 F.M. RECEIVER-TRANSMITTER USED IN AIRCRAFT TO INDICATE ALTITUDE ON ASSOCIATED INSTRUMENTS WHICH ARE NOT INCLUDED. COVERS F.M. FREQUENCIES 418 - 462 MC. COMPLETE WITH TUBES 3/12SJ7, 4/12SH7, 2/12H6, 2/955, 2/9004 & 1/VR*150. ALSO 24 VOLT DYNAMOTOR, FM PHASE SHIFT WOBULATOR CONNECTORS. SIZE: 8 x 18½ x 8½. WT: 25 LBS.

PRICE: RE-NEW $8.95

ID-19/APS-3 INDICATOR

USED WITH RADAR SET FOR INDICATION OF SIGNALS ON 5" CATHODE RAY TUBE #5FP7 WITH FOCUS & BILLIANCE CONTROLS WITH CABLES. HOUSED IN ALUM CASE SIZE: 7x7x15. WT. 13 LBS

PRICE: RENEW $2.95



C-17/APS-3 CONTROL UNIT

USED WITH RADAR FOR CONTROL OF ANTENNA AND OTHER CIRCUI CONTAINS 2" SQUARE METER 0-100VDC, 0-5 MA MOVEMENT & SHUNT, DEGREE SCALE ALSO 7 SWITCHES RESISTORS & RELAYS SIZE: 9½ x 6 x 3. WT: 4 LBS

PRICE: RE-NEW $2.95



ID-169B/APN-12 RADAR OSCILLISCOPE

ID-169B/APN-12 INDICATOR: Used with various types of Radar Sets for indication of incoming signals. Can be converted to a monitoring unit or test Oscilloscope. Has vertical, horizontal, focus, sweep & intensity controls. Antenna change-over motor using small type coaxial connectors. Tube used 5/12AU7 3/5726, 1/6AS6, 1/6AQ5, 1/6x4 & 1/3JP1. Operates from 115 Volt 400-1000 cycle &24VDC. Size 9 x 9 x 16. WT. 25 lbs. Complete with tubes & schematic. Also has 50K ohm Helipot. (Similar to BC-929 only it is later model) Price Used $12.95

TG-34A KEYER:

Code practice set used to reproduce signals previously recorded on inked paper tapes. Variable speed motor control to 25 words per minute. Keying oscillator for hand key also speaker & headset phone jack. Operates from 115/230 volt 50/60 cycle. Housed in portable carring case. Checked for operation.

PRICE: USED CHECKED $22.95



AN/ART-13 TRANSMITTER

The most desired transmitter on the surplus market today. Automatic tuning for selection of 11 channels in the freq. range. Easily converted to 10 meters, (See Surplus Conversion Manual #2 $2.50). Tube line-up 1/837, 1/8k3, 2/1625, 1/12SJ7, 2/6V6, 2/811, 2/12SL7, 1/12SA7, Voltage requirments, 28 VDC 10 amp, 400 VDC 225 MA. & 1250 VDC 250 MA. Size 23½ x 16 x 11½. 70 lb.

PRICE: USED $49.50 LESS TUBES $30.00

DY-12/ART-13 DYNAMOTOR 24 volt W/filters & relays.....PRICE USED...$12.95

MINE DECTECTOR

SCR-625 Famous ARMY MINE-DETECTOR

Less Batt. $24.95

With Batt. $29.95

Portable unit for detecting hidden metal objects up to 24" in depth depending on the size and ground conditions. Detection is noted by a tone signal that is feed into a headset or speaker unit that are part of the set. Good for plumbers, oil, companies, miners, prospect's



CODE PRACTICE TAPES, 15 different reels to a set. Each reel has different numbers, letters, combination groups and speeds of spacing. Recorded on 3/8" inked tape for use with TG-34, TG-10 & KY-127 code practice units.

SET OF 15. NOT AVAILABLE-

Separate tapes ea. 2.00

BLANK PAPER TAPE 3/8" wide for making your own inked tapes. 900 FT. Rolls 30 for $3.00 60/$5





R-74/CRW-2 RECEIVER

High frequency for remote control use in the 53-88 MC. band on preselected channel, single fixed freq. Complete with tubes 1/6S07, 1/6J5, 3/6SL7, 1/6SN7 & 24 volt dyn

SIZE: 6 x 10 x 8 WT: 13 LBS.

PRICE: RE-NEW $4.95

R-150/CRW-7 RECEIVER



WT: 15 LBS.

High frequency for remote control in the 65.9 to 92.8 MC band Variable condensers for tuning four preset channels for simultaneous reception that operate separate relays Complete with ten tubes 6/6AG5, 3/6J6, 1/6AL5 24 volt dynamotor, relays band filters etc. Size 6 x 10 x 8. Used $6.95 New $8.95

FREQUENCY STANDARD OSCILLATOR TS-385

Shown at left of picture — Crystal controlled, 376 to 418 MC; 115 V 60 cycle input; Tubes: 6X5, 6K7, 6J5, 6V6, 6A8, & 3970. KC Crystal w/Schematic. Prices: Used.... $ 9.95 - New...$ 12.95

ROCKET TRANSMITTER

1330 to 1850 KC - with 18 Ft. circumference Parachute. Spark Gap Transmitter, used for jamming; battery operated and with mechanical timer control. Size: 40" H x 7" Dia. T-95/CRT-2.....NEW: $ 4.95



BC-221 FREQUENCY CASE — Or TS-164 Meter Case, With Voltage Regulator Tube VR-105 & two Ballast, Relay, etc. Front Comp. 9-3/4" x 7-1/2" x 7-3/8". Rear Compartment 2" Deep. — NEW: $ 3.95



CHECKED FOR OPERATION

I-208 FM SIGNAL GENERATOR —

Standard of Voltage Frequency and Frequency Deviation for the test alignment, calibration, sensitivity measurements of FM Receivers. Frequency Range 1.9 to 4.5 MC & 19 to 45 MC. Frequency Deviation can be adjusted 0 to 5 KC for 1.9 to 4.5 MC and 0 to 50 KC each side for the 19 to 45 MC Band. Stability .03 percent through use of crystal calibrator. Modulation Freq.: 150-400, 1000, 2500, & 5000 CPS. With Output Meter & Speaker; 115 Volt 60 cycle or 12 VDC input — Used..... $ 59.50